

CITY OF JOHNSTOWN  
CAMBRIA COUNTY, PENNSYLVANIA  
401 Main Street  
Johnstown, Pennsylvania 15901



# Pollution Reduction Plan Implementation Summary

For

**City of Johnstown**

**September 2023**

Prepared by:



**THE EADS GROUP, INC.**  
**227 Franklin Street, Suite 300**  
**Johnstown, Pennsylvania 15901**  
Phone (814)535-5388 / Fax (814)535-7654  
<http://eadsgroup.com>

## Table of Contents

<b>INTRODUCTION &amp; BACKGROUND.....</b>	<b>2</b>
<b>POLLUTANTS OF CONCERN.....</b>	<b>3</b>
<b>SAMS RUN SEWERSHED POLLUTANT REDUCTION .....</b>	<b>4</b>
<b>HINCKSTON RUN SEWERSHED POLLUTANT REDUCTION.....</b>	<b>X</b>
<b>CONEMAUGH RIVER SEWERSHED POLLUTANT REDUCTION.....</b>	<b>X</b>
<b>CONCLUSION .....</b>	<b>X</b>

### **List of Appendices:**

- A. City of Johnstown’s NPDES MS4 Permit – PAG136245**
- B. DEP Pollutant Reduction Plan Final Report**
- C. City of Johnstown Storm Sewer System**
- D. Sewershed Planning Area Mapping**
- E. Street Sweeping Documentation**
- F. Storm Sewer System Solids Removal Documentation**
- G. Blighted Structure Demolition List**
- H. Future BMP Implementation Timeline**

Pollution Reduction Plan Implementation Summary  
City of Johnstown  
Cambria County, Pennsylvania

**1. INTRODUCTION & BACKGROUND**

The City of Johnstown owns and operates a separate stormwater sewer system that collects stormwater from roadways, parking lots, homes, businesses, etc. within the City. The storm sewer system conveys stormwater into local waterways including the Conemaugh River, Little Conemaugh River, Stonycreek River, Saint Clair Run, Elk Run, Hinckston Run, Solomon Run, Cheney Run, and Sams Run. The City operates their storm sewer system under a Pennsylvania Department of Environmental Protection (PADEP) issued General NPDES Permit – PAG136245, attached as Appendix A. The City has a total area of approximately 3,926 acres and a regulated MS4 area of approximately 3,680 acres, which encompasses approximately 94% of its total area. The City's storm sewer system consists of approximately 532,000 linear feet of storm line, 1,700 storm manholes, 4,200 inlets, and 242 stormwater outfalls. A map of the City's storm sewer system is attached as Appendix C.

The City's Stormwater Management Program is designed to reduce the discharge of pollutants from its regulated MS4 in order to protect and enhance water quality, and to satisfy the appropriate water quality requirements of the federal Clean Water Act, and the Pennsylvania Clean Streams Law. Mr. Ethan Imhoff, City Manager, is the primary contact person for the City and is responsible for ensuring the City's Stormwater Management Program is being utilized effectively. Mr. Jared Campagna, Public Works Director, is responsible for ensuring the six minimum control measures (MCMs) and best management practices (BMPs) are implemented as standard operating procedures to further the City's goal of maintaining and enhancing water quality.

As stated in Appendix E of the City of Johnstown's MS4 permit, MS4 permittees with at least one stormwater discharge to surface waters considered impaired for nutrients (nitrogen and phosphorus) ad/or sediment, in which a TMDL has not been developed or the TMDL has not identified a wasteload allocation (WLA) for the permittee, were required by PADEP to develop and submit a Pollution Reduction Plan (PRP), to reduce the pollutant loads to those waters.

The PADEP published MS4 Requirements Table (Municipal) (revised 8/2/2017) identifies three (3) impaired downstream waters or applicable TMDL names within the City of Johnstown MS4 requiring completion of a PRP. These waters include Sams Run, Hinckston Run, and the Conemaugh River. On August 12, 2017, The City of Johnstown issued a public notice in a newspaper of local circulation, allowing for a public review period of the City's draft PRP. On August 24, 2018, PADEP approved the City of Johnstown's PRP. The City took immediate action beginning work on the selected BMPs. Mapping of the aforementioned

sewershed planning areas is attached to this report as Appendix D.

## 2. POLLUTANTS OF CONCERN

The following table identifies the pollutants of concern for each impaired downstream waterway within the City of Johnstown’s MS4 requiring completion of a PRP.

Planning Area	Pollutant of Concern	Requirement
Sams Run Sewershed	Siltation (inorganic solids)	10% reduction
Hinckston Run Sewershed	Suspended Solids (inorganic solids)	10% reduction
Conemaugh River Sewershed	Siltation (inorganic solids)	10% reduction

The total study area acreage in the City of Johnstown is 3,925.58 acres. Of that study area, approximately 34.73%, or 1,363.37 acres, sustains some form of development and is considered impervious land. Structures account for approximately 38.81%, impervious lots account for approximately 34.31%, and state and local roadways account for approximately 26.88% of developed land. The remaining 65.27%, or 2,562.21 acres, consists of wooded land, cleared or grassland, and/or surface waters and is considered undeveloped, pervious land.

The existing pollutant loading rates for each of the three aforementioned sewersheds was calculated in the following table.

Sams Run Sewershed Planning Area			
Land Use	Acreage	Loading Rate (lbs/ac/yr)	Sediment Loading (lbs/yr)
Impervious	50.69	2,155.29	109,251.65
Pervious	59.89	325.30	19,482.22
Total	110.58		128,733.87
<b>10% Required Reduction</b>			<b>12,873.39</b>
Hinckston Run Sewershed Planning Area			
Land Use	Acreage	Loading Rate (lbs/ac/yr)	Sediment Loading (lbs/yr)
Impervious	6.07	2,155.29	13,082.61
Pervious	15.50	325.30	5,042.15
Total	21.57		18,124.76
<b>10% Required Reduction</b>			<b>1,812.48</b>
Conemaugh River Sewershed Planning Area			
Land Use	Acreage	Loading Rate (lbs/ac/yr)	Sediment Loading (lbs/yr)
Impervious	318.90	2,155.29	687,321.98
Pervious	617.13	325.30	200,752.39
Total	936.03		888,074.37
<b>10% Required Reduction</b>			<b>88,807.44</b>

### 3. SAMS RUN SEWERSHED POLLUTANT REDUCTION

The Sams Run Sewershed Planning Area required a total pollutant load reduction of 12,873.39 lbs/yr. In order to meet or exceed this requirement, the following BMPs were selected.

#### a. CONVERTING IMPERVIOUS LAND TO PERVIOUS LAND

The City of Johnstown took an aggressive approach towards implementing a *Blight Reduction Program* in which many blighted structures were demolished and converted back to pervious land. By converting impervious land to pervious land, the net sediment reduction was calculated to be approximately 1,829.99 lbs/ac/yr. In order to calculate the approximate acreage being converted from impervious to pervious, an average building footprint was calculated using GIS layers depicting structures in the City. The average square footage of the structures in the City was calculated to be approximately 1,864 square feet, or 0.043 acres. In the Sams Run Sewershed Planning Area, the City demolished 26 structures and converted the land to pervious. Through this BMP, the City achieved a pollutant load reduction of 2,049.59 lbs/yr in the Sams Run Sewershed Planning Area. An address list of all demolished structures in the Sams Run Sewershed Planning Area is attached as Appendix G.

26 (Number of Structured Demolished) x 0.043 acres (Average Structure Size) = 1.12 acres  
1.12 acres x 1,829.99 lbs/ac/yr (Net Sediment Reduction) = 2,049.59 lbs/yr

#### b. ADDITIONAL STREET SWEEPING

The next BMP selected for this planning area was to conduct additional street sweeping. The City conducts street sweeping approximately 5 nights per week. For the reporting period of July 1, 2021, through June 30, 2022, the City's Public Works Department swept all streets in the Sams Run Sewershed Planning Area 15 times. Because this is under DEP's minimum requirement of 25 sweep events per year, no credit is being taken in this Planning Area for the reporting period of July 1, 2021, through June 30, 2022. For the reporting period of July 1, 2022, through June 30, 2023, the City's Public Works Department swept all streets in this Planning Area 23 times. Because this is under DEP's minimum requirement of 25 sweep events per year, no credit is being taken in this Planning Area for the reporting period of July 1, 2022, through June 30, 2023. Documentation of the City's street sweeping efforts are attached as Appendix E.

#### c. TREE PLANTING

The third BMP selected for this planning area was tree planting. The City planned to plant 25 trees in the Sams Run Sewershed Planning Area. The City has successfully

planted approximately 31 trees in the Sams Run Sewershed Planning Area, as part of the sanitary sewer project in this area.

31 (Number of Trees Planted) x .01 acres = 0.31 acres  
0.31 acres x 2,155.29 lbs/ac/yr (Pollutant Loading Rate) = 668.14 lbs/yr  
668.14 lbs/yr x 20% (BMP Effectiveness Value) = 133.63 lbs/yr (Total Reduction)

**d. FILTER STRIP STORMWATER TREATMENT**

The City planned to install filter strips with vegetated cover in the Sams Run Sewershed Planning Area. Due to budgetary constraints, the City was unable to complete this project and implement this BMP.

**e. STORM SEWER SYSTEM SOLIDS REMOVAL**

The City's Public Works Department utilized their Vac Truck to remove sediment from stormwater catch basins in the Sams Run Sewershed. The Public Works Department worked diligently to maintain a well-functioning storm sewer system by consistently removing sediment from the City's storm sewers.

For the reporting period of July 1, 2019, through June 30, 2020, approximately 4,507.00 lbs of sediment were removed from the storm sewer system in the Sams Run Sewershed Planning Area. For the reporting period of July 1, 2020, through June 30, 2021, approximately 13,606.67 lbs of sediment were removed from the storm sewer system in the Sams Run Sewershed Planning Area. For the reporting period of July 1, 2021, through June 30, 2022, approximately 9,966.67 lbs of sediment were removed from the storm sewer system in the Sams Run Sewershed Planning Area. For the reporting period of July 1, 2022, through June 30, 2023, approximately 19,803.33 lbs of sediment were removed from the storm sewer system in the Sams Run Sewershed Planning Area. Through this BMP, an average pollutant load reduction of 11,970.92 lbs/yr has been removed from the Sams Run Sewershed. As stated in the BMP Effectiveness Values Chart, DEP will allow up to 50% of total pollutant reduction requirements to be met through this BMP. For this reason, a pollutant load reduction of 6,436.70 lbs/yr is being credited to this sewershed.

Storm sewer system solids removal supporting documentation and calculations are attached in Appendix F.

**f. SUMMARY**

The Sams Run Sewershed Planning Area is approximately 110.58 acres in total. Of that, approximately 46% of the total planning area contains some form of impervious development. The Sams Run Sewershed Planning Area required a total pollutant load reduction of 12,873.39 lbs/yr, or 10%. By implementing the aforementioned BMPs, the City was able to reach a total pollutant load reduction of 8,619.92 lbs/yr in the Sams Run Sewershed, thus not reaching the pollutant load reduction requirement.

**4. HINCKSTON RUN SEWERSHED POLLUTANT REDUCTION**

The Hinckston Run Sewershed Planning Area required a total pollutant load reduction of 1,812.48 lbs/yr. In order to meet or exceed this requirement, the following BMPs were selected.

**a. CONVERTING IMPERVIOUS LAND TO PERVIOUS LAND**

The City of Johnstown took an aggressive approach towards implementing a *Blight Reduction Program* in which many blighted structures were demolished and converted back to pervious land. By converting impervious land to pervious land, the net sediment reduction was calculated to be approximately 1,829.99 lbs/ac/yr. In order to calculate the approximate acreage being converted from impervious to pervious, an average building footprint was calculated using GIS layers depicting structures in the City. The average square footage of the structures in the City was calculated to be approximately 1,864 square feet, or 0.043 acres. In the Hinckston Run Sewershed Planning Area, the City demolished 6 structures and converted the land to pervious. Through this BMP, the City achieved a pollutant load reduction of 475.80 lbs/yr in the Hinckston Run Sewershed Planning Area. An address list of all demolished structures in the Hinckston Run Sewershed Planning Area is attached as Appendix G.

$$6 \text{ (Number of Structured Demolished)} \times 0.043 \text{ acres (Average Structure Size)} = 0.26 \text{ acres}$$
$$0.26 \text{ acres} \times 1,829.99 \text{ lbs/ac/yr (Net Sediment Reduction)} = 475.80 \text{ lbs/yr}$$

**b. ADDITIONAL STREET SWEEPING**

The next BMP selected for this planning area was to conduct additional street sweeping. The City conducts street sweeping approximately 5 nights per week. For the reporting period of July 1, 2021, through June 30, 2022, the City's Public Works Department swept all streets in the Hinckston Run Sewershed Planning Area 19 times. Because this is under DEP's minimum requirement of 25 sweep events per year, no credit is being taken in this Planning Area for the reporting period of July 1, 2021, through June 30, 2022. For

the reporting period of July 1, 2022, through June 30, 2023, the City's Public Works Department swept all streets in this Planning Area 22 times. Because this is under DEP's minimum requirement of 25 sweep events per year, no credit is being taken in this Planning Area for the reporting period of July 1, 2022, through June 30, 2023. Documentation of the City's street sweeping efforts are attached as Appendix E.

**c. TREE PLANTING**

The third BMP selected for this planning area was tree planting. The City planned to plant 25 trees in the Hinckston Run Sewershed Planning Area. The City was unsuccessful in planting any trees in this sewershed, therefore no pollutant reduction is being credited.

**d. BIORETENTION - RAINGARDEN**

The City owns a 0.79 acre parcel of land in the Hinckston Run Sewershed Planning Area formerly used as a playground. The City planned to construct a bioretention raingarden facility on this parcel. This BMP is currently being designed with an anticipated construction date in 2024.

**e. STORM SEWER SYSTEM SOLIDS REMOVAL**

The City's Public Works Department utilized their Vac Truck to remove sediment from stormwater catch basins in the Hinckston Run Sewershed. The Public Works Department worked diligently to maintain a well-functioning storm sewer system by consistently removing sediment from the City's storm sewers.

For the reporting period of July 1, 2019, through June 30, 2020, no solids were removed from the storm sewer system in the Hinckston Run Sewershed Planning Area. For the reporting period of July 1, 2020, through June 30, 2021, approximately 1,269.80 lbs of sediment were removed from the storm sewer system in the Hinckston Run Sewershed Planning Area. For the reporting period of July 1, 2021, through June 30, 2022, approximately 520.00 lbs of sediment were removed from the storm sewer system in the Hinckston Run Sewershed Planning Area. For the reporting period of July 1, 2022, through June 30, 2023, no solids were removed from the storm sewer system in the Hinckston Run Sewershed Planning Area. Through this BMP, an average pollutant load reduction of 585 lbs/yr is being credited to the Hinckston Run Sewershed Planning Area.

Storm sewer system solids removal supporting documentation and calculations are attached in Appendix F.



## **SUMMARY**

The Hinckston Run Sewershed Planning Area is approximately 21.57 acres in total. Of that, approximately 28% of the total planning area contains some form of impervious development. The Hinckston Run Sewershed Planning Area required a total pollutant load reduction of 1,812.48 lbs/yr, or 10%. By implementing the aforementioned BMPs, the City was able to reach a total pollutant load reduction of 1,060.80 lbs/yr in the Hinckston Run Sewershed, thus not reaching the pollutant load reduction requirement.

### **5. CONEMAUGH RIVER SEWERSHED POLLUTANT REDUCTION**

The Conemaugh River Sewershed Planning Area required a total pollutant load reduction of 88,807.44 lbs/yr. In order to meet or exceed this requirement, the following BMPs were selected.

#### **a. CONVERTING IMPERVIOUS LAND TO PERVIOUS LAND**

The City of Johnstown took an aggressive approach towards implementing a *Blight Reduction Program* in which many blighted structures were demolished and converted back to pervious land. By converting impervious land to pervious land, the net sediment reduction was calculated to be approximately 1,829.99 lbs/ac/yr. In order to calculate the approximate acreage being converted from impervious to pervious, an average building footprint was calculated using GIS layers depicting structures in the City. The average square footage of the structures in the City was calculated to be approximately 1,864 square feet, or 0.043 acres. In the Conemaugh River Sewershed Planning Area, the City demolished 68 structures and converted the land to pervious. Through this BMP, the City achieved a pollutant load reduction of 5,343.57 lbs/yr in the Conemaugh River Sewershed Planning Area. An address list of all demolished structures in the Conemaugh River Sewershed Planning Area is attached as Appendix G.

68 (Number of Structured Demolished) x 0.043 acres (Average Structure Size) = 2.92 acres  
2.92 acres x 1,829.99 lbs/ac/yr (Net Sediment Reduction) = 5,343.57 lbs/yr

#### **b. ADDITIONAL STREET SWEEPING**

The next BMP selected for this planning area was to conduct additional street sweeping. The City conducts street sweeping approximately 5 nights per week. For the reporting period of July 1, 2021, through June 30, 2022, the City's Public Works Department swept all streets in the Conemaugh River Sewershed Planning Area 20 times. Because this is under DEP's minimum requirement of 25 sweep events per year, no credit is being taken in this Planning Area for the reporting period of July 1, 2021, through June 30, 2022. For

the reporting period of July 1, 2022, through June 30, 2023, the City's Public Works Department swept all streets in this Planning Area 22 times. Because this is under DEP's minimum requirement of 25 sweep events per year, no credit is being taken in this Planning Area for the reporting period of July 1, 2022, through June 30, 2023. Documentation of the City's street sweeping efforts are attached as Appendix E.

**c. TREE PLANTING**

The third BMP selected for this planning area was tree planting. The City planned to plant 25 trees in the Conemaugh River Sewershed Planning Area. The City has successfully planted approximately 15 trees in the Conemaugh River Sewershed Planning Area. These trees are located in Cambria City.

15 (Number of Trees Planted) x .01 acres = 0.15 acres  
0.15 acres x 2,155.29 lbs/ac/yr (Pollutant Loading Rate) = 323.29 lbs/yr  
323.29 lbs/yr x 20% (BMP Effectiveness Value) = 64.66 lbs/yr (Total Reduction)

**d. BIORETENTION - RAINGARDEN**

The City owns 14 parcels of land totaling approximately 43.7 acres in the Conemaugh River Sewershed. The City planned to construct bioretention raingarden facilities on these parcels. Due to budgetary constraints, the City was unable to complete these projects and implement these BMPs.

**e. DRY EXTENDED DETENTION BASIN**

The City's owned a parcel of land, approximately 20 acres in size, in the Conemaugh River Sewershed that was previously used as a Clean Fill Disposal Site. The City's Post Construction Stormwater Management Plan for this disposal site required that the temporary sediment basin be converted to a stormwater management facility. The City has since sold this site and no longer has the means of implementing this BMP.

**f. STORM SEWER SYSTEM SOLIDS REMOVAL**

The City's Public Works Department utilized their Vac Truck to remove sediment from stormwater catch basins in the Hinckston Run Sewershed. The Public Works Department worked diligently to maintain a well-functioning storm sewer system by consistently removing sediment from the City's storm sewers.

For the reporting period of July 1, 2019, through June 30, 2020, approximately 4,853.33 lbs of sediment were removed from the storm sewer system in the Conemaugh River Sewershed Planning Area. For the reporting period of July 1, 2020, through June 30, 2021, approximately 27,820.00 lbs of sediment were removed from the storm sewer system in the Conemaugh River Sewershed Planning Area. For the reporting period of July 1, 2021, through June 30, 2022, approximately 36,356.67 lbs of sediment were removed from the storm sewer system in the Conemaugh River Sewershed Planning Area. For the reporting period of July 1, 2022, through June 30, 2023, approximately 46,540 lbs of sediment were removed from the storm sewer system in the Conemaugh River Sewershed Planning Area. Through this BMP, an average pollutant load reduction of 28,892.50 lbs/yr is being credited to the Conemaugh River Sewershed Planning Area.

Storm sewer system solids removal supporting documentation and calculations are attached in Appendix F.

**g. ELK RUN DEBRIS BASIN RESTORATION**

Although this project was not included in the Pollution Reduction Plan, in 2022, the City of Johnstown completed a stream restoration project on the Elk Run Debris Basin located in the Conemaugh River Sewershed. The project consisted of restoring approximately 250 linear feet of the debris basin. According to DEP's BMP Effectiveness Values, this stream restoration project successfully reduced the pollutant load by approximately 11,220 lbs/yr.

**h. SUMMARY**

The Conemaugh River Sewershed Planning Area is approximately 936.03 acres in total. Of that, approximately 34% of the total planning area contains some form of impervious development. The Conemaugh River Sewershed Planning Area required a total pollutant load reduction of 88,807.44 lbs/yr, or 10%. By implementing the aforementioned BMPs, the City was able to reach a total pollutant load reduction of 45,520.73 lbs/yr in the Conemaugh River Sewershed, thus not reaching the pollutant load reduction requirement.


**6. CONCLUSION**

The City of Johnstown works diligently to operate and maintain a well-functioning storm sewer system, throughout the entire City, encompassing nearly 4,000 acres of land. Although the City has not met its requirements for the Sams Run Sewershed, Hinckston Run Sewershed, and Conemaugh River Sewershed, the Public Works Department continues their proactive efforts of protecting and maintaining the waterways of the Commonwealth through continuous street sweeping, inlet cleaning, and additional structure demolitions to create more pervious

area within the City.

The City has a remaining pollutant load reduction of approximately 59,511 lbs/yr. The City has developed an aggressive approach to complete the outstanding items in the original Pollution Reduction Plan, which will bring the City into compliance with their load reduction requirement.

Stormwater maintenance BMPs which the city will continue to implement include street sweeping and inlet cleaning. According to the chart below, tracking the yearly total sediment removed from inlet cleaning efforts, it is projected that the City will be able to take credit for the maximum allowed reduction through this BMP, which is 51,746.50 lbs/yr.



The City will focus more efforts on completing these BMPs in the respective sewershed planning areas to ensure they are able to meet their pollutant load reduction requirements.

The additional pollutant load reductions will come from completing projects consistent with DEP's BMP Effectiveness Values. These projects include demolishing structures to create more pervious surface within the City, many rain gardens and other stormwater BMP's. DEP's Effectiveness Values will be used to credit each project towards the City's required loading reduction.

It is estimated that by the end of 2026, the City will meet its required loading reduction. At this time, the City will maintain the yearly maintenance BMP's (inlet cleaning and street sweeping) to continue their efforts of protecting and maintaining the waterways of the

Commonwealth. A timeline has been developed which sets measurable goals and dates for the City to complete these projects and effectively meet its requirements. This timeline is attached as Appendix H.

**APPENDIX A**  
**City of Johnstown NPDES MS4 Permit**



**PAG-13**  
**AUTHORIZATION TO DISCHARGE UNDER THE**  
**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)**  
**GENERAL PERMIT FOR STORMWATER DISCHARGES FROM**  
**SMALL MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4s)**  
**APPROVAL OF COVERAGE**

**NPDES PERMIT NO. PAG136245**

In compliance with the provisions of the Clean Water Act, 33 U.S.C. Section 1251 et seq. ("the Act") and Pennsylvania's Clean Streams Law, as amended, 35 P.S. Section 691.1 et seq.,

**City of Johnstown**  
**401 Main Street**  
**Johnstown, PA 15901**

is authorized to discharge from a regulated small municipal separate storm sewer system (MS4) located in **City of Johnstown, Cambria County** to **Sams Run, Little Conemaugh River, Solomon Run, Hinckston Run, Saint Clair Run, Conemaugh River, Unnamed Tributary to Mill Creek, and Stonycreek River** in Watersheds **18-E and 18-D** in accordance with effluent limitations, monitoring requirements and other conditions set forth herein.

**APPROVAL OF COVERAGE TO DISCHARGE UNDER THIS GENERAL NPDES PERMIT IS AUTHORIZED BEGINNING ON SEPTEMBER 1, 2018. WHEN THE GENERAL PERMIT IS RENEWED, REISSUED OR MODIFIED, THE FACILITY OR ACTIVITY COVERED BY THIS APPROVAL FOR COVERAGE MUST COMPLY WITH THE FINAL RENEWED, REISSUED OR MODIFIED GENERAL PERMIT.**

The authority granted by coverage under this General Permit is subject to the following further qualifications:

1. The permittee shall comply with the effluent limitations and reporting requirements contained in this General Permit.
2. Following initial coverage under this General Permit, the submission of Annual MS4 Status Reports in accordance with Part A III.D of the General Permit shall constitute the permittee's Notice of Intent (NOI) for continued coverage under the General Permit. The permittee shall be responsible for complying with the final renewed, reissued or amended General Permit. If the permittee is unable to comply with the renewed or amended General Permit, the permittee must submit an application for an individual NPDES permit within 90 days of publication of the final General Permit.
3. The NOI and its supporting documents are incorporated into this approval of coverage. If there is a conflict between the NOI or its supporting documents and the terms and conditions of this General Permit, the terms and conditions of this General Permit shall apply.
4. Failure to comply with the terms, conditions, or effluent limitations of this General Permit is grounds for enforcement action, permit termination or revocation.
5. The permittee shall implement Pollutant Control Measures as specified in **Appendix A**.
6. The permittee shall achieve pollutant loading reductions for **sediment** as specified in **Appendix E** by **August 31, 2023**.

**This approval of coverage is authorized by:**

*/s/*

---

**Christopher Kriley, P.E.**  
**Clean Water Program Manager**  
**Southwest Regional Office**  
**Department of Environmental Protection**



**PAG-13**  
**AUTHORIZATION TO DISCHARGE UNDER THE**  
**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)**  
**GENERAL PERMIT FOR STORMWATER DISCHARGES FROM**  
**SMALL MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4s)**

In compliance with the provisions of the Clean Water Act, 33 U.S.C. Section 1251 *et seq.* (the "Act") and Pennsylvania's Clean Streams Law, as amended, 35 P.S. Section 691.1 *et seq.*, the Department of Environmental Protection (DEP) hereby authorizes, by this General Permit, the discharge of stormwater from regulated small municipal separate storm sewer systems (MS4s) to surface waters in accordance with effluent limitations, monitoring requirements and other conditions set forth herein.

Eligible dischargers who wish to be covered under this General Permit must submit a Notice of Intent (NOI) to DEP in accordance with the requirements of this General Permit, using the NOI form provided by DEP.

No new discharge may be commenced under this General Permit until the applicant complies with all of the following:

1. The applicant has submitted a complete Notice of Intent (NOI) in accordance with the requirements of this General Permit, using a NOI form provided by DEP.
2. The applicant has received a signed copy of the Approval of Coverage from DEP that authorizes coverage under the PAG-13 General Permit.

DEP may deny coverage under the PAG-13 General Permit and require submission of an application for an individual permit based on a review of the NOI or other relevant information, including monitoring data.

Once coverage is approved under the PAG-13 General Permit, coverage will continue when the PAG-13 General Permit is reissued, unless the permittee is otherwise notified by DEP. The submission each year of the Annual MS4 Status Report in accordance with Part A III.D of the General Permit shall constitute the permittee's NOI for continued coverage under the General Permit unless DEP notifies the permittee in writing that the submission of a new NOI is required.

#### **SCOPE**

The PAG-13 General Permit is intended to provide NPDES permit coverage to regulated small MS4s for discharges of stormwater to surface waters. Permittees operating under this General Permit have been either automatically designated as regulated by the U.S. Environmental Protection Agency (EPA) pursuant to 40 CFR § 122.32(a)(1) or designated as regulated by DEP under 40 CFR § 122.32(a)(2).

#### **NOI REQUIREMENTS**

##### **Deadlines for NOI**

MS4 permittees with existing NPDES permit coverage, MS4s that previously have been waived by DEP, and MS4s newly designated as a result of the 2010 census that are seeking coverage under this PAG-13 General Permit or a waiver must submit and DEP must receive an administratively complete and acceptable NOI by September 16, 2017. MS4s authorized to discharge under an individual NPDES permit who are seeking coverage under this General Permit may continue to discharge in accordance with the individual permit while their NOI and associated documents are being reviewed by DEP.

##### **Contents of the NOI**

The NOI shall be signed in accordance with the signatory requirements of this General Permit and shall contain the information required in the NOI form.



## Where to Submit the NOI

An NOI is to be submitted to the regional office of DEP that has jurisdiction over the county where the MS4 is located.

## DISCHARGES AUTHORIZED BY THIS GENERAL PERMIT

Except where specifically prohibited under the “Discharges Not Authorized by this General Permit” section, this General Permit authorizes the discharge of stormwater to surface waters from regulated small MS4s. In addition, the following non-stormwater discharges are authorized by this General Permit as long as such discharges do not cause or contribute to pollution as defined in Pennsylvania’s Clean Streams Law:

1. Discharges or flows from firefighting activities.
2. Discharges from potable water sources including water line flushing and fire hydrant flushing, if such discharges do not contain detectable concentrations of Total Residual Chlorine (TRC).
3. Non-contaminated irrigation water, water from lawn maintenance, landscape drainage and flows from riparian habitats and wetlands.
4. Diverted stream flows and springs.
5. Non-contaminated pumped ground water and water from foundation and footing drains and crawl space pumps.
6. Non-contaminated HVAC condensation and water from geothermal systems.
7. Residential (i.e., not commercial) vehicle wash water where cleaning agents are not utilized.
8. Non-contaminated hydrostatic test water discharges, if such discharges do not contain detectable concentrations of TRC.

In the event existing outfall(s) are identified during the term of General Permit coverage that were not identified on maps submitted as part of the NOI (where required), the permittee shall identify the outfall(s) in the subsequent Annual MS4 Status Report that is submitted to the DEP office that approved permit coverage. In the event new stormwater outfalls are proposed, the permittee shall submit written notification to the DEP office that approved permit coverage at least 60 days prior to commencing a discharge, unless such discharges would meet one or more of the criteria specified in the “Discharges Not Authorized By This General Permit” section, in which case an individual permit application must be submitted and an individual permit obtained prior to commencing a discharge.

## DISCHARGES NOT AUTHORIZED BY THIS GENERAL PERMIT

The following discharges are not authorized under the PAG-13 General Permit, and DEP may deny coverage under the General Permit when one or more of the following conditions exist:

1. The discharge, individually or in combination with other similar discharges, is or has the potential to be a contributor of pollution, as defined in the Pennsylvania Clean Streams Law, which is more appropriately controlled under an individual permit.
2. The discharger is not, or will not be, in compliance with one or more of the conditions of the General Permit.
3. The applicant has failed and continues to fail to comply or has shown a lack of ability or intention to comply with a regulation, permit, schedule of compliance or order issued by DEP.
4. A change has occurred in the availability of demonstrated technology or practices for the control or abatement of pollutants applicable to the point source.
5. Categorical point source effluent limitations are promulgated by the EPA for those point sources covered by the General Permit.
6. The discharge is not, or will not, result in compliance with an applicable effluent limitation or water quality standard.

7. Other point sources within the MS4 require issuance of an individual permit, and issuance of both an individual and a General Permit for the facility would constitute an undue administrative burden on DEP.
8. The discharge from the regulated small MS4 is or would be to a surface water classified as a High Quality (HQ) or an Exceptional Value (EV) water under 25 Pa. Code Chapter 93 (relating to Water Quality Standards).
9. The discharge contains toxic or hazardous pollutants, or any other substance which, because of its quantity, concentration or physical, chemical or infectious characteristics, may cause or contribute to an increase in mortality or morbidity in either an individual or the total population, or pose a substantial present or future hazard to human health or the environment when discharged into surface waters.
10. The discharge individually or cumulatively has the potential to cause significant adverse environmental impact or have been determined by DEP to have caused impairment to the surface waters receiving the discharge(s).
11. The discharge would adversely affect a listed endangered or threatened species or its critical habitat.
12. The MS4 is covered by an individual permit, and coverage under this General Permit would result in less stringent effluent limitations or terms and conditions.
13. DEP determines that the denial of coverage is necessary for any other reason to ensure compliance with the Federal Clean Water Act, the Pennsylvania Clean Streams Law or DEP regulations.
14. The regulated MS4 is a large or medium MS4 as defined in 40 CFR §§ 122.26(b)(4) or (7).
15. The permittee is implementing a local or tribal Qualifying Local Program (QLP) pursuant to 40 CFR 122.44(s) that is not the state's program as outlined in 25 Pa. Code Chapter 102.
16. The regulated small MS4 is assigned a wasteload allocation (WLA) (either specific to the MS4 or general) in a Total Maximum Daily Load (TMDL) approved by the U.S. Environmental Protection Agency (EPA) for local surface waters, where the pollutant(s) of concern are nutrients (i.e., nitrogen and/or phosphorus) and/or sediment (i.e., siltation or total suspended solids), and the MS4 is identified in the "MS4 Requirements Table" (see definitions) as needing to complete a TMDL Plan.
17. The regulated small MS4 1) discharges to waters impaired for nutrients and/or sediment without an EPA-approved TMDL or discharges to the Chesapeake Bay watershed; 2) is identified in DEP's "MS4 Requirements Table"; and 3) has not developed and submitted a Pollutant Reduction Plan (PRP) with the NOI to reduce pollutant loading for the cause(s) of impairment.
18. The discharge will be commingled with sources of non-stormwater unless such non-stormwater discharges are identified in the "Discharges Authorized by this General Permit" section of this General Permit or are in compliance with a separate NPDES permit and do not cause or contribute to pollution.
19. Stormwater discharges associated with industrial activity as defined in 40 CFR §§ 122.26(b)(14)(i)-(ix) and (xi).
20. Stormwater discharges associated with construction activity as defined in 40 CFR § 122.26(b)(14)(x) or 40 CFR § 122.26(b)(15).

**THE AUTHORITY GRANTED BY THIS GENERAL PERMIT IS SUBJECT TO THE FOLLOWING CONDITIONS:**

1. If the permittee submits a timely NOI for coverage under this General Permit (i.e., received by DEP on or before September 16, 2017) and the previous General Permit expires, the permittee is authorized to continue discharging under the terms and conditions of this General Permit. The permittee must comply with all terms and conditions in this General Permit with the exception of requirements that do not take effect until DEP's approval of coverage, as specified in this General Permit.
2. DEP may require a permittee with discharge(s) authorized by this General Permit to apply for and obtain an individual permit by notifying the permittee in writing that an individual permit application is required. Any interested person may petition DEP to take action under this paragraph.

DEP's notice will include the following:


- A brief statement of the reason(s) for this decision;
- An individual permit application form;
- A deadline for the owner or operator to submit the application; and
- A statement that on the effective date of the individual permit, coverage under this General Permit shall automatically terminate.

If a permittee fails to submit an individual permit application required by DEP under this paragraph in a timely manner, then the applicability of this General Permit to the permittee is automatically terminated at the end of day specified for submission of the application.

3. Any person authorized to discharge by this General Permit may request to be excluded from the coverage of this General Permit by applying for an individual permit.
4. When an individual permit is issued to a person whose discharge(s) are covered by this General Permit, the applicability of this General Permit is automatically terminated on the effective date of the individual permit. When an individual permit is denied to a person whose discharge(s) are covered by this General Permit, the person may continue discharging if all eligibility requirements under this General Permit are met.
5. This General Permit will expire 5 years from the date of its issuance. DEP will publish a notice in the *Pennsylvania Bulletin* of the draft reissued General Permit or of any amendments to this General Permit. After a comment period, notice of the final reissued or amended General Permit will be published in the *Pennsylvania Bulletin*. The permittee shall be responsible for complying with the final renewed, reissued or amended General Permit. If the permittee is unable to comply with the renewed, reissued or amended General Permit, the permittee must submit an application for an individual permit within 90 days of publication of the final renewed, reissued or amended General Permit.
6. If DEP decides to administratively extend this General Permit, DEP will publish a notice in the *Pennsylvania Bulletin*. The terms and conditions of the General Permit will continue during the period of administrative extension. Permittees with existing coverage under the General Permit will continue to have coverage, unless otherwise notified by DEP. DEP will not approve new coverage under the General Permit during the period of administrative extension.
7. Following approval of coverage under this General Permit, if the permittee encounters a condition affecting eligibility under this General Permit as identified above ("Discharges Not Authorized by this General Permit") and does not provide a remedy to correct that condition, coverage under this General Permit may be revoked in writing by DEP, and DEP may require the permittee to obtain an individual permit. Coverage under this General Permit may be revoked if there is evidence indicating potential or actual adverse impacts to water quality as a result of the permittee's discharge(s).
8. No condition of this General Permit shall release the permittee from any responsibility or requirements under other federal or Pennsylvania environmental statutes or regulations or local ordinances.
9. Following initial coverage under this General Permit, the submission of an Annual MS4 Status Report in accordance with Part A III.D of the General Permit shall constitute the permittee's Notice of Intent (NOI) for continued coverage under the General Permit. The permittee is authorized to discharge in accordance with the terms of the General Permit immediately upon submission of the Annual MS4 Status Report.
10. The permittee shall comply with the requirements of this General Permit in accordance with the schedules contained herein. A summary of the scheduled requirements contained in this General Permit is available (see Document ID No. 3800-PM-BCW0100l).

General Permit  
(PAG-13) Issued

By



---

Lee A. McDonnell, P.E.  
Director  
Bureau of Clean Water

Effective: March 16, 2018

Expires: March 15, 2023

## PART A

### EFFLUENT LIMITATIONS, REPORTING AND RECORDKEEPING REQUIREMENTS

#### I. EFFLUENT LIMITATIONS

- A. This General Permit establishes effluent limitations in the form of implementation of a Stormwater Management Program (SWMP), as specified in Part C I of this General Permit, to reduce the discharge of pollutants from the regulated small MS4 to the maximum extent practicable. The permittee shall comply with Minimum Control Measures (MCMs) and best management practices (BMPs) in Part C I of this General Permit, which constitutes compliance with the standard of reducing pollutants to the maximum extent practicable.
- B. All discharges from regulated small MS4s must comply with all applicable requirements established in accordance with 25 Pa. Code Chapters 91-96, 102, and 105 of DEP's rules and regulations. For all MS4s covered under this General Permit, DEP may, upon written notice, require additional BMPs or other control measures to ensure that the water quality standards of the surface waters receiving stormwater discharges are attained.

#### II. DEFINITIONS

*Best Management Practices (BMPs)* means schedules of activities, prohibitions of practices, maintenance procedures and other management practices to prevent or reduce pollutant loading to surface waters of this Commonwealth. The term includes treatment requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage. The term includes activities, facilities, measures, planning or procedures used to minimize accelerated erosion and sedimentation and manage stormwater to protect, maintain, reclaim and restore the quality of waters and the existing and designated uses of waters within this Commonwealth before, during and after earth disturbance activities. (25 Pa. Code § 92a.2)

*Clean Water Act (CWA)* means the Federal Water Pollution Control Act, as amended, 33 U.S.C.A. §§ 1251 - 1387.

*Cleaning Agent* means any product, substance or chemical other than water that is used to clean the exterior surface of vehicles.

*Designated Uses* are those uses specified in 25 Pa. Code §§ 93.4(a) and 93.9a – 93.9z for each water body or segment whether or not they are being attained. (25 Pa. Code § 93.1)

*Dry Weather* means a condition in which there are no precipitation, snowmelt, drainage or other events producing a stormwater discharge for more than 48 consecutive hours.

*Existing Permittee* means any entity that has been designated as a regulated small MS4 and has previously obtained permit coverage under the PAG-13 General Permit or obtained an Individual NPDES MS4 Permit.

*Existing Uses* are those uses actually attained in the water body on or after November 28, 1975, whether or not they are included in the water quality standards. (25 Pa. Code § 93.1)

*Illicit Connection* means any physical connection to a municipal separate storm sewer system that can convey illicit discharges into the system and/or is not authorized or permitted by the permittee.

*Illicit Discharge* means any discharge to a municipal separate storm sewer that is not composed entirely of stormwater, except non-stormwater discharges as described in the "Discharges Authorized by this General Permit" section of this General Permit. Examples of illicit discharges include dumping of motor vehicle fluids, household hazardous wastes, grass clippings, leaf litter, animal wastes, or unauthorized discharges of sewage, industrial waste, restaurant wastes, or any other non-stormwater waste into a municipal separate storm sewer system. Illicit discharges can be accidental or intentional.

**Impaired Waters** means surface waters that fail to attain one or more of its designated uses under 25 Pa. Code Chapter 93 and as listed in Categories 4 and 5 of Pennsylvania's Integrated Water Quality Monitoring and Assessment Report.

**Integrated Water Quality Monitoring and Assessment Report** means the report published every other year by DEP to report on the conditions of Pennsylvania's surface waters to satisfy sections 305(b) and 303(d) of the CWA.

**Intermittent Stream** means a body of water flowing in a channel or bed composed primarily of substrates associated with flowing water, which, during periods of the year, is below the local water table and obtains its flow from both surface runoff and groundwater discharges. (25 Pa. Code § 92a.2)

**Load Allocation** means the portion of a surface water's loading capacity that is assigned or allocated to existing and future nonpoint sources and natural quality. (25 Pa. Code § 96.1)

**Low Impact Development (LID)** means site design approaches and small-scale stormwater management practices that promote the use of natural systems for infiltration, evapotranspiration, and reuse of rainwater. LID can be applied to new development, urban retrofits, and revitalization projects. LID utilizes design techniques that infiltrate, filter, evaporate, and store runoff close to its source. Rather than rely on costly large-scale conveyance and treatment systems, LID addresses stormwater through a variety of small, cost-effective landscape features located on-site.

**MS4 Requirements Table** is a compilation of information regarding Pennsylvania MS4s, surface waters that receive stormwater discharges from MS4s, surface water impairments and TMDLs that is posted to DEP's website, [www.dep.pa.gov/MS4](http://www.dep.pa.gov/MS4). The MS4 Requirements Table has been assembled by DEP to assist MS4 permittees in determining applicable requirements for the development of plans and implementation of BMPs, as well as eligibility for the PAG-13 General Permit. In general, the MS4 Requirements Table will be updated prior to each renewal of this General Permit based on DEP's latest published Integrated Water Quality Monitoring and Assessment Report.

**Municipal separate storm sewer** means a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains): (i) Owned or operated by a State, city, town, borough, county, parish, district, association, or other public body (created by or pursuant to State law) having jurisdiction over disposal of sewage, industrial wastes, stormwater, or other wastes, including special districts under State law such as a sewer district, flood control district or drainage district, or similar entity, or an Indian tribe or an authorized Indian tribal organization, or a designated and approved management agency under section 208 of the CWA that discharges to surface waters; (ii) Designed or used for collecting or conveying stormwater; (iii) Which is not a combined sewer; and (iv) Which is not part of a Publicly Owned Treatment Works (POTW) as defined at 40 CFR 122.2. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.26(b)(8))

**Municipal Separate Storm Sewer System (MS4)** means all separate storm sewers that are defined as "large" or "medium" or "small" municipal separate storm sewer systems pursuant to 40 CFR §§ 122.26(b)(4), (b)(7), and (b)(16), respectively, or designated under 40 CFR § 122.26(a)(1)(v). (25 Pa. Code § 92a.32(a) and 40 CFR § 122.26(b)(18))

**Municipality** means a city, town, borough, county, township, school district, institution, authority or other public body created by or pursuant to State law and having jurisdiction over disposal of sewage, industrial wastes or other wastes. (25 Pa. Code § 92a.2)

**New Permittee** means any entity that has been designated as a regulated small MS4 and has not previously obtained permit coverage under the PAG-13 General Permit or obtained an Individual NPDES MS4 Permit.

**NOI** means the Notice of Intent for coverage under the NPDES General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems.

**Non-Municipal Permittee** means a regulated small MS4 that is not a municipality, e.g., military bases, large hospital or prison complexes, and highways and other thoroughfares.

**Non-Structural BMPs** means actions that involve management and source controls such as: (1) policies and ordinances that provide requirements and standards to direct growth to identified areas, promote redevelopment, protect areas such as wetlands and riparian areas, maintain and/or increase open space, provide buffers along water bodies, minimize impervious surfaces, and minimize disturbance of soils and vegetation; (2) education programs for developers and the public about minimizing water quality impacts; (3) measures such as minimizing the percentage of impervious area after development, use of measures to minimize directly connected impervious areas, street sweeping, and source control measures such as good housekeeping, maintenance, and spill prevention; and other BMPs as referenced in Chapter 5 of the Pennsylvania Stormwater BMP Manual (363-0300-002).

**Ordinance** means a law enacted by the government of a municipality.

**Outfall** means a point source as defined by 40 CFR § 122.2 at the point where a municipal separate storm sewer discharges to surface waters and does not include open conveyances connecting two municipal separate storm sewers, or pipes, tunnels or other conveyances which connect segments of the same stream or other surface waters and are used to convey surface waters. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.26(b)(9))

**Owner or Operator** means the owner or operator of any “facility” or “activity” subject to regulation under the NPDES program. (25 Pa. Code § 92a.3(b)(1) and 40 CFR § 122.2)

**Permittee** means the owner or operator of a regulated small MS4 authorized to discharge under the terms of this General Permit.

**Point Source** means a discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, Concentrated Aquatic Animal Production Facility (CAAP), Concentrated Animal Feeding Operation (CAFO), landfill leachate collection system, or vessel or other floating craft from which pollutants are or may be discharged. (25 Pa. Code § 92a.2)

**Pollutant** means any contaminant or other alteration of the physical, chemical, biological, or radiological integrity of surface water which causes or has the potential to cause pollution as defined in section 1 of the Pennsylvania Clean Streams Law, 35 P.S. § 691.1. (25 Pa. Code § 92a.2)

**Qualifying Development or Redevelopment Project** means an earth disturbance activity that requires an NPDES permit for stormwater discharges associated with construction activity per 25 Pa. Code Chapter 102.

**Regulated Small MS4** means any small MS4 that is covered by the federal Phase II stormwater program, either through automatic nationwide designation under 40 CFR § 122.32(a)(1) (via the Urbanized Area criteria) or by designation on a case-by-case basis by DEP pursuant to 40 CFR § 122.32(a)(2). “Regulated small MS4s” are a subset of “small MS4s” as defined in this section.

**Riparian Forest Buffer** means an area of permanent vegetation consisting of native trees, shrubs, forbs and grasses along surface water that is maintained in a natural state or sustainably managed to protect and enhance water quality, stabilize stream channels and banks, and buffer land use activities from surface waters.

**Small Municipal Separate Storm Sewer System (Small MS4)** means an MS4, as defined in this section, that is not a large or medium MS4 pursuant to 40 CFR §§ 122.26(b)(4) and 122.26(b)(7). The term small MS4 includes systems similar to separate storm sewer systems in municipalities, such as systems at military bases, large hospital or prison complexes, and highways and other thoroughfares. The term does not include separate storm sewers in very discrete areas, such as individual buildings. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.26(b)(16))

**Standard Operating Procedure (SOP)** means a policy or set of procedures that are enacted by a non-municipal permittee to implement a stormwater management program.

**Storm Sewershed** means the land area that drains to an individual MS4 outfall from within the jurisdiction of the MS4 permittee. The term “combined storm sewershed” means the drainage areas of all MS4 outfalls that discharge to a specific surface water or to waters within the Chesapeake Bay watershed.

**Stormwater** means runoff from precipitation, snow melt runoff and surface runoff and drainage. “Stormwater”

has the same meaning as “storm water.” (25 Pa. Code § 92a.2)

**Structural BMPs** means stormwater storage and management practices including, but not limited to, wet ponds and extended detention outlet structures; filtration practices such as grassed swales, sand filters and filter strips; infiltration practices such as infiltration basins and infiltration trenches; and other BMPs as referenced in Chapter 6 of the Pennsylvania Stormwater BMP Manual (363-0300-002).

**Surface Waters** means perennial and intermittent streams, rivers, lakes, reservoirs, ponds, wetlands, springs, natural seeps and estuaries, excluding water at facilities approved for wastewater treatment such as wastewater treatment impoundments, cooling water ponds and constructed wetlands used as part of a wastewater treatment process. (25 Pa. Code § 92a.2)

**Total Maximum Daily Load (TMDL)** means the sum of individual waste load allocations for point sources, load allocations for nonpoint sources and natural quality and a margin of safety expressed in terms of mass per time, toxicity or other appropriate measures. (25 Pa. Code § 96.1)

**Urbanized Area (UA)** means land area comprising one or more places (central place(s)) and the adjacent densely settled surrounding area (urban fringe) that together have a residential population of at least 50,000 and an overall population density of at least 1,000 people per square mile, as defined by the United States Bureau of the Census and as determined by the latest available decennial census. The UA outlines the extent of automatically regulated areas.

**Wasteload Allocation (WLA)** means the portion of a surface water’s loading capacity that is allocated to existing and future point source discharges. (25 Pa. Code § 96.1)

**Water Quality Criteria** means numeric concentrations, levels or surface water conditions that need to be maintained or attained to protect existing and designated uses. (25 Pa. Code § 93.1)

**Water Quality Standards** means the combination of water uses to be protected and the water quality criteria necessary to protect those uses. (25 Pa. Code § 92a.2)

### III. MONITORING, REPORTING AND RECORDKEEPING

- A. Where samples are collected and analyzed or measurements are taken under this General Permit, the permittee shall assure:
1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(j)(1))
  2. Records of monitoring information shall include (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(j)(3)):
    - a. The date, exact place, and time of sampling or measurements.
    - b. The individual(s) who performed the sampling or measurements.
    - c. The date(s) analyses were performed.
    - d. The individual(s) who performed the analyses.
    - e. The analytical techniques or methods used.
    - f. The results of such analysis.
  3. Monitoring must be conducted according to test procedures approved under 40 CFR Part 136 unless another method is required under 40 CFR Subchapters N or O. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(j)(4))
- B. Records Retention – All records of monitoring activities and results, copies of all plans and reports required by this General Permit, and records of all data used to complete the application for this General Permit shall be retained by the permittee for at least 5 years from the date of the sample measurement, report or application. Such records must be submitted to DEP upon request or as required for annual reports. The permittee must make records available to the public at reasonable times during regular business hours. (25 Pa. Code § 92a.3(c), 40 CFR §§ 122.34(g)(2) and 122.41(j)(2))



C. Proper Operation and Maintenance (O&M) – The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances), including stormwater BMPs, that are installed or used by the permittee to achieve compliance with the conditions of this permit. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(e))

D. Reporting Requirements

1. The permittee shall submit a complete Annual MS4 Status Report using DEP's annual report template (3800-FM-BPNPSM0491) to the DEP regional office that issued General Permit coverage approval by September 30 of each year.
  - a. For existing permittees, the first annual report submitted to DEP under this General Permit shall have a reporting period starting from the end of the latest annual or progress report period (under the previous General Permit) to June 30, 2018. The first annual report is due by September 30, 2018. For new permittees, the first annual report is due by September 30 following the first year of General Permit coverage.
  - b. Following the first annual report, the reporting period shall thereafter be July 1 - June 30, and the report shall be due by September 30.
2. In addition to the Annual MS4 Status Report submitted to the DEP regional office, a check or money order in the amount of \$500.00, which is an installment of the NOI fee, shall be submitted to DEP's Central Office, made payable to "Commonwealth of Pennsylvania." The fee shall be submitted by September 30 of each year to the following address:

PA Department of Environmental Protection  
Bureau of Clean Water  
Rachel Carson State Office Building  
400 Market Street, PO Box 8466  
Harrisburg, PA 17105-8466

For existing permittees, the first fee is due by September 30, 2018. For new permittees, the first fee is due by September 30 following the first year of General Permit coverage.

3. The permittee shall submit the Annual MS4 Status Report and fee to DEP electronically upon receipt of written notification from DEP.
4. Unanticipated Non-Compliance or Potential Pollution Reporting
  - a. Immediate Reporting - The permittee shall immediately report any incident causing or threatening pollution in accordance with the requirements of 25 Pa. Code §§ 91.33 and 92a.41(b) listed below:
    - (i) If, because of an accident, other activity or incident a toxic substance or another substance which would endanger users downstream from the discharge, or would otherwise result in pollution or create a danger of pollution or would damage property, the permittee shall immediately notify DEP by telephone of the location and nature of the danger. Oral notification to the Department is required as soon as possible, but no later than 4 hours after the permittee becomes aware of the incident causing or threatening pollution.
    - (ii) If reasonably possible to do so, the permittee shall immediately notify downstream users of the waters of the Commonwealth to which the substance was discharged. Such notice shall include the location and nature of the danger.
    - (iii) The permittee shall immediately take or cause to be taken steps necessary to prevent injury to property and downstream users of the waters from pollution or a danger of pollution and, in addition, within 15 days from the incident, shall remove the residual substances contained thereon or therein from the ground and from the affected waters of this Commonwealth to the extent required by applicable law.

- b. The permittee shall report any non-compliance which may endanger health or the environment in accordance with the requirements of 40 CFR § 122.41(l)(6). These requirements include the following obligations:
- (i) 24 Hour Reporting - The permittee shall orally report any non-compliance with this permit which may endanger health or the environment within 24 hours from the time the permittee becomes aware of the circumstances.
  - (ii) Written Report - A written submission shall also be provided within 5 days of the time the permittee becomes aware of any non-compliance which may endanger health or the environment. The written submission shall contain a description of the non-compliance and its cause; the period of non-compliance, including exact dates and times, and if the non-compliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the non-compliance.
  - (iii) Waiver of Written Report - DEP may waive the written report on a case-by-case basis if the associated oral report has been received within 24 hours from the time the permittee becomes aware of the circumstances which may endanger health or the environment. Unless such a waiver is expressly granted by DEP, the permittee shall submit a written report in accordance with this paragraph. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(l)(6)(iii))

#### 5. Other Non-Compliance

The permittee shall report all instances of non-compliance not reported under paragraph D.4 of this section or specific requirements of compliance schedules, at the time Annual Reports are submitted, on the Non-Compliance Reporting Form (3800-FM-BPNPSM0440). The reports shall contain the information listed in paragraph D.4.b.(ii) of this section. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(l)(7))

#### 6. Signatory Requirements

- a. Completed Annual Reports and all other reports, NOIs, and information submitted to DEP shall be signed and certified by either of the following applicable persons, as defined in 25 Pa. Code § 92a.22:
- For a corporation - by a principal executive officer of at least the level of vice president, or an authorized representative, if the representative is responsible for the overall operation of the facility from which the discharge described in the NPDES form originates.
  - For a partnership or sole proprietorship - by a general partner or the proprietor, respectively.
  - For a municipality, state, federal or other public agency - by a principal executive officer or ranking elected official.
- b. If signed by a person other than the above, the person must be a duly authorized representative of the permittee. A person is a duly authorized representative only if:
- The authorization is made in writing by a person described in paragraph a., above, and submitted to DEP.
  - The authorization specifies either an individual or a position having responsibility for the operation of the regulated system, facility or activity, such as the position of manager, operator, superintendent, or position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the company. A duly authorized representative may thus be either a named individual or any individual occupying a named position.
- c. Changes in Signatory Authorization - If an authorization is no longer accurate because a different individual or position has responsibility for the overall operation of the system or facility, a new authorization satisfying the requirements of paragraphs 6.a and 6.b, above, must be submitted to DEP prior to or together with any reports, information or NOI to be signed by an authorized representative.

**PART B**  
**STANDARD CONDITIONS**

**I. MANAGEMENT REQUIREMENTS**

A. Compliance

The permittee must comply with all conditions of this General Permit. Any permit non-compliance constitutes a violation of the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(a))

B. Permit Modification, Termination, or Revocation and Reissuance

1. Permit coverage may be modified, terminated, or revoked and reissued during its term in accordance with Title 25 Pa. Code §§ 92a.72 and 92a.74 and 40 CFR § 122.41(f).
2. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated non-compliance, does not stay any General Permit condition. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(f))

C. Duty to Provide Information

1. The permittee shall furnish to DEP, within a reasonable time, any information which DEP may request to determine whether cause exists for modifying, revoking and reissuing, or terminating coverage under this General Permit, or to determine compliance with this General Permit. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(h))
2. The permittee shall furnish to DEP, upon request, copies of records required to be kept by this General Permit. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(h))
3. Other Information - Where the permittee becomes aware that it failed to submit any relevant facts in an NOI, or submitted incorrect information in an NOI or in any report to DEP, it shall promptly submit the correct and complete facts or information. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(l)(8))
4. The permittee shall give advance notice to the DEP office that approved permit coverage of any planned physical alterations or additions to the regulated small MS4. Notice is only required when: 1) the alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in 40 CFR § 122.29(b), or 2) the alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(l))

D. Duty to Mitigate

The permittee shall take all reasonable steps to minimize or prevent any discharge in violation of this permit that has a reasonable likelihood of adversely affecting human health or the environment. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(d))

## II. PENALTIES AND LIABILITY

### A. Violations of Permit Conditions

1. Any person violating Sections 301, 302, 306, 307, 308, 318 or 405 of the CWA or any permit condition or limitation implementing such sections in a permit issued under Section 402 of the Act is subject to civil, administrative and/or criminal penalties as set forth in 40 CFR § 122.41(a)(2).
2. Any person or municipality, who violates any provision of this General Permit; any rule, regulation or order of DEP; or any condition or limitation of any permit issued pursuant to the Clean Streams Law, is subject to criminal and/or civil penalties as set forth in Sections 602, 603 and 605 of the Clean Streams Law.

### B. Falsifying Information

Any person who does any of the following:

- Falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit, or
- Knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit (including monitoring reports or reports of compliance or non-compliance)

Shall, upon conviction, be punished by a fine and/or imprisonment as set forth in 18 Pa.C.S.A. § 4904 and 40 CFR §§ 122.41(j)(5) and (k)(2).

### C. Liability

1. Nothing in this General Permit shall be construed to relieve the permittee from civil or criminal penalties for non-compliance pursuant to Section 309 of the CWA or Sections 602, 603 or 605 of the Clean Streams Law.
2. Nothing in this General Permit shall be construed to preclude the institution of any legal action or to relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject to under the CWA and the Clean Streams Law.

### D. Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this General Permit. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(c))

## III. OTHER RESPONSIBILITIES

### A. Right of Entry

Pursuant to Section 5(b) of Pennsylvania's Clean Streams Law (35 P.S. § 691.5(b)), 25 Pa. Code Chapter 92a and 40 CFR § 122.41(i), the permittee shall allow authorized representatives of DEP and EPA, upon the presentation of credentials and other documents as may be required by law:

1. To enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this General Permit; (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(i)(1))
2. To have access to and copy, at reasonable times, any records that must be kept under the conditions of this General Permit; (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(i)(2))

3. To inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices or operations regulated or required under this General Permit; and (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(i)(3))
4. To sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act or the Clean Streams Law, any substances or parameters at any location. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(i)(4))

B. Transfer of Permits

1. Transfers by modification. Except as provided in paragraph B.2 of this section, permit coverage may be transferred by the permittee to a new owner or operator only if this General Permit coverage has been modified or revoked and reissued, or a minor modification made to identify the new permittee and incorporate such other requirements as may be necessary under the Clean Water Act. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.61(a))
  2. Automatic transfers. As an alternative to transfers under paragraph 1 of this section, any NPDES permit may be automatically transferred to a new permittee if:
    - a. The current permittee notifies DEP at least 30 days in advance of the proposed transfer date in paragraph 2.b. of this section; (25 Pa. Code § 92a.3(c) and 40 CFR § 122.61(b)(1))
    - b. The notice includes the appropriate DEP transfer form signed by the existing and new permittees containing a specific date for transfer of permit responsibility, coverage and liability between them; (25 Pa. Code § 92a.3(c) and 40 CFR § 122.61(b)(2))
    - c. DEP does not notify the existing permittee and the proposed new permittee of its intent to modify or revoke and reissue coverage under this General Permit, the transfer is effective on the date specified in the agreement mentioned in paragraph 2.b. of this section; and (25 Pa. Code § 92a.3(c) and 40 CFR § 122.61(b)(3))
    - d. The new permittee is in compliance with existing DEP issued permits, regulations, orders and schedules of compliance, or has demonstrated that any non-compliance with the existing permits has been resolved by an appropriate compliance action or by the terms and conditions of the permit (including compliance schedules set forth in the permit), consistent with 25 Pa. Code § 92a.51 (relating to schedules of compliance) and other appropriate DEP regulations. (25 Pa. Code § 92a.71)
  3. In the event DEP does not approve transfer of coverage under this General Permit, the new owner or controller must submit a new NOI.
- C. Property Rights - The approval of coverage under this General Permit does not convey any property rights of any sort, or any exclusive privilege. (25 Pa. Code § 92a.3(c) and 40 CFR § 122.41(g))
- D. Duty to Reapply - The submission of the Annual MS4 Status Reports (3800-FM-BPNPSM0491) in accordance with Part A III.D of this General Permit constitutes the submission of an NOI for continued coverage under the General Permit. In addition, the permittee must submit an NOI (3800-PM-BCW0100b) to continue coverage under this General Permit when notified by DEP in writing.
- E. Severability – The provisions of this General Permit are severable. If any provision of this General Permit or the application of any provision of this General Permit to any circumstance is held invalid, the application of such provision to other circumstances and the remainder of this General Permit shall not be affected.

## PART C

### SPECIAL CONDITIONS

#### I. STORMWATER MANAGEMENT PROGRAM (SWMP)

A. The permittee must develop, implement, and enforce an SWMP designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Pennsylvania Clean Streams Law, as described in paragraph B, below. There are six Minimum Control Measures (MCMs) that comprise the SWMP. Specific BMPs are identified under each MCM. The permittee shall demonstrate compliance with the SWMP through the submission of Annual MS4 Status Reports due by September 30 each year.

#### B. Minimum Control Measures (MCMs)

1. **MCM #1:** Public Education and Outreach on Stormwater Impacts. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.34(b)(1))

The permittee shall implement a public education program to distribute educational materials to the community or conduct equivalent outreach activities about the impacts of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

- a. **BMP #1:** Develop, implement and maintain a written Public Education and Outreach Program.

- (1) For new permittees, a written Public Education and Outreach Program (PEOP) shall be developed and implemented within one year following approval of coverage under this General Permit, and shall be re-evaluated each year thereafter and revised as needed.

- (2) For existing permittees, the existing PEOP shall be reviewed annually and revised as necessary.

The permittee's PEOP shall be designed to achieve measurable improvements in the target audience's understanding of the causes and impacts of stormwater pollution and the steps they can take to prevent it.

- b. **BMP #2:** Develop and maintain lists of target audience groups that are present within the areas served by the permittee's regulated small MS4. In most communities, the target audiences shall include residents, businesses (including commercial, industrial and retailers), developers, schools, and municipal employees.

- (1) For new permittees, the lists shall be developed within one year following approval of coverage under this General Permit, and reviewed and updated as necessary every year thereafter.

- (2) For existing permittees, the lists shall continue to be reviewed and updated annually.

- c. **BMP #3:** The permittee shall annually publish at least one issue of a newsletter, a pamphlet, a flyer, or a website that includes general stormwater educational information, a description of the permittee's SWMP, and/or information about the permittee's stormwater management activities. The list of publications and the content of the publications must be reviewed and updated at least once during each year of permit coverage. Publications should include a list of references (or links) to refer the reader to additional information (e.g., DEP and EPA stormwater websites, and any other sources that will be helpful to readers). The permittee must implement at least one of the following alternatives:

- Publish and distribute in printed form a newsletter, a pamphlet or a flyer containing information consistent with this BMP.
- Publish educational and informational items including links to DEP's and EPA's stormwater websites on the permittee's website.

- (1) For new permittees, stormwater educational and informational items shall be produced and published in print and/or on the Internet within the first year of permit coverage.
- (2) In subsequent years, and for existing permittees, the list of items published and the content in these items shall be reviewed, updated, and maintained annually.

The permittee's publications shall contain stormwater educational information that addresses one or more of the six MCMs.

- d. **BMP #4:** Distribute stormwater educational materials and/or information to the target audiences using a variety of distribution methods, including but not limited to: displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements (e.g., at bus and train stops/stations), bill stuffers, presentations, conferences, meetings, fact sheets, giveaways, and storm drain stenciling.

All permittees shall select and utilize at least two distribution methods annually. These are in addition to BMP #3, above.

2. **MCM #2:** Public Involvement / Participation. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.34(b)(2))

The permittee shall comply with applicable state and local public notice requirements when implementing a public involvement / participation program.

- a. **BMP #1:** Develop, implement and maintain a written Public Involvement and Participation Program (PIPP) which describes various types of possible participation activities and describes methods of encouraging the public's involvement and of soliciting the public's input.

The PIPP for new permittees shall be developed and implemented within one year following approval of coverage under this General Permit. All permittees shall reevaluate the PIPP annually and make revisions as necessary.

The PIPP shall include, at a minimum:

- (1) Opportunities for the public to participate in the decision-making processes associated with the development, implementation, and update of programs and activities related to this General Permit.
  - (2) Methods of routine communication to groups such as watershed associations, environmental advisory committees, and other environmental organizations that operate within proximity to the permittee's regulated small MS4s or surface waters receiving the permittee's discharges.
  - (3) Making Annual MS4 Status Reports and all other plans, programs, maps and reports required by this General Permit available to the public on the permittee's website, at the permittee's office(s), or by mail upon request.
- b. **BMP #2:** The permittee shall advertise to the public and solicit public input on the following documents prior to adoption or submission to DEP:
    - Stormwater Management Ordinances (for municipalities);
    - Standard Operating Procedures (SOPs) (for non-municipal entities); and
    - Pollutant Reduction Plans (PRPs), including modifications thereto.
    - (1) For Ordinances and SOPs, the permittee shall provide notice to the public; provide opportunities for public comment; document and evaluate the public comments; and document the permittee's responses to the comments prior to finalizing the documents. The permittee shall provide this documentation to DEP upon request.
    - (2) For PRPs, public participation requirements are specified in Appendices D and E of this General Permit.

- c. **BMP #3:** Regularly solicit public involvement and participation from the target audience groups using available distribution and outreach methods. This shall include an effort to solicit public reporting of suspected illicit discharges. Assist the public in their efforts to help implement the SWMP.
- (1) The permittee shall solicit public involvement and participation from target audience groups on the implementation of the SWMP. The solicitation can take the form of public meetings or other events. The public shall be given notice in advance of each meeting or event. During the meetings or events, the permittee should present a summary of progress, activities, and accomplishments with implementation of the SWMP, and the permittee should provide opportunities for the public to provide feedback and input. The presentation can be made at specific MS4 events or during any other public meeting. Existing permittees shall conduct at least one public meeting that includes information on SWMP implementation by March 15, 2023; new permittees shall conduct at least one public meeting within 5 years following approval of General Permit coverage.
  - (2) The permittee shall document and report instances of cooperation and participation in MS4 activities; presentations the permittee made to local watershed organizations and conservation organizations; and similar instances of participation or coordination with organizations in the community.
  - (3) The permittee shall also document and report activities in which members of the public assisted or participated in the meetings and in the implementation of the SWMP, including education activities or organized implementation efforts such as cleanups, monitoring, storm drain stenciling, or others.
3. **MCM #3:** Illicit Discharge Detection and Elimination (IDD&E). (25 Pa. Code § 92a.32(a) and 40 CFR § 122.34(b)(3))

The permittee shall develop, implement and enforce a program to detect and eliminate illicit discharges into the permittee's regulated small MS4.

- a. **BMP #1:** The permittee shall develop and implement a written program for the detection, elimination, and prevention of illicit discharges into the regulated small MS4. The program shall include the following:
- Procedures for identifying priority areas. These are areas with a higher likelihood of illicit discharges, illicit connections or illegal dumping. Priority areas may include areas with older infrastructure, a concentration of high-risk activities, or past history of water pollution problems.
  - Procedures for screening outfalls in priority areas. The program shall include dry weather field screening of outfalls for non-stormwater flows, and sampling of dry weather discharges for selected chemical and biological parameters. Test results shall be used as indicators of possible discharge sources.
  - Procedures for identifying the source of an illicit discharge when a contaminated flow is detected at a regulated small MS4 outfall.
  - Procedures for eliminating an illicit discharge.
  - Procedures for assessing the potential for illicit discharges caused by the interaction of sewage disposal systems (e.g., on-lot septic systems, sanitary piping) with storm drain systems.
  - Mechanisms for gaining access to private property to inspect outfalls (e.g., land easements, consent agreements, search warrants) and for investigating illicit connections and discharges.



- Procedures for program documentation, evaluation and assessment. Records shall be kept of all outfall inspections, flows observed, results of field screening and testing, and other follow-up investigation and corrective action work performed under this program.
  - Procedures for addressing information or complaints received from the public.
- (1) For new permittees, the IDD&E program shall be developed during the first year of coverage under this General Permit and shall be implemented and evaluated each year thereafter.
  - (2) For existing permittees, the IDD&E program shall continue to be implemented and evaluated annually.
- b. **BMP #2:** The permittee shall develop and maintain map(s) that show permittee and urbanized area boundaries, the location of all outfalls and, if applicable, observation points, and the locations and names of all surface waters that receive discharges from those outfalls. Outfalls and observation points shall be numbered on the map(s).
- (1) For new permittees, the map(s) must be developed and submitted to DEP as an attachment to an Annual MS4 Status Report by September 30, 2022 or the fourth (4<sup>th</sup>) Annual MS4 Status Report following approval of coverage under this General Permit, whichever is later.
  - (2) For existing permittees, the existing map(s) shall be updated and maintained as necessary during each year of coverage under this General Permit.
- c. **BMP #3:** In conjunction with the map(s) created under BMP #2 (either on the same map or on a different map), the permittee shall develop and maintain map(s) that show the entire storm sewer collection system within the permittee's jurisdiction that are owned or operated by the permittee (including roads, inlets, piping, swales, catch basins, channels, and any other components of the storm sewer collection system), including privately-owned components of the collection system where conveyances or BMPs on private property receive stormwater flows from upstream publicly-owned components.
- (1) For new permittees, the map(s) must be developed and submitted to DEP as an attachment to an Annual MS4 Status Report by September 30, 2022 or the fourth (4<sup>th</sup>) Annual MS4 Status Report following approval of coverage under this General Permit, whichever is later.
  - (2) For existing permittees, the existing map(s) shall be updated and maintained as necessary during each year of coverage under this General Permit.
- d. **BMP #4:** The permittee shall conduct dry weather screenings of its MS4 outfalls to evaluate the presence of illicit discharges. If any illicit discharges are present, the permittee shall identify the source(s) and take appropriate actions to remove or correct any illicit discharges. The permittee shall also respond to reports received from the public or other agencies of suspected or confirmed illicit discharges associated with the storm sewer system, as well as take enforcement action as necessary. The permittee shall immediately report to DEP illicit discharges that would endanger users downstream from the discharge, or would otherwise result in pollution or create a danger of pollution or would damage property, in accordance with Part A III.D.4 of this General Permit.
- (1) For new permittees, all of the identified regulated small MS4 outfalls shall be screened during dry weather at least twice within the 5-year period following approval of coverage under this General Permit.
  - (2) For existing permittees, each of the identified regulated small MS4 outfalls shall be screened during dry weather at least once by March 15, 2023. For areas where past problems have been reported or known sources of dry weather flows occur on a continual basis, outfalls shall be screened annually during each year of permit coverage.
  - (3) If a discharge is observed from any outfall during dry weather screenings, the discharge shall be inspected for color, odor, floating solids, scum, sheen, and substances that result in observed

deposits in the surface waters. In addition, the discharge cannot contain substances that result in deposits in the receiving water or produce an observable change in the color, odor or turbidity of the receiving water.

If the discharge exhibits any of the above characteristics, or contains any other pollutants or causes an observed change in the surface waters, the permittee shall sample the discharge(s) for field and/or laboratory analysis of one or more common IDD&E parameters in order to determine if the dry weather flow is illicit. Possible parameters include, but are not limited to: pH, Conductivity, Fecal Coliform bacteria, Heavy Metals, Chemical Oxygen Demand (COD), 5-day Biochemical Oxygen Demand (BOD5), Total Suspended Solids (TSS), Total Dissolved Solids (TDS), Oil and Grease, Total Residual Chlorine (TRC) and Ammonia-Nitrogen. Proper quality assurance and quality control procedures shall be followed when collecting, transporting or analyzing water samples. The permittee shall retain sample results with the inspection report in accordance with Part A III.B of this General Permit.

- (4) Each time an outfall is screened, the permittee shall record outfall observations, regardless of the presence of dry weather flow. All outfall inspections shall be documented on the MS4 Outfall Field Screening Report form (3800-FM-BCW0521), or equivalent. The report must be signed by the inspector and be maintained by the permittee in accordance with Part A III.B of this General Permit. If an outfall flow is determined by the permittee to be illicit, the actions taken to identify and eliminate the illicit flow shall also be documented.
  - (5) The permittee shall summarize the results of outfall inspections and actions taken to remove or correct illicit discharges in Annual MS4 Status Reports.
  - (6) If the permittee determines that an outfall cannot be accessed due to safety or other reasons, the permittee shall establish an "observation point" at an appropriate location prior to the outfall where outfall field screening shall be performed. If observation points are established by the permittee, such points shall be identified on the map required under BMP #2 of this section.
  - (7) Permittees must ensure that outfalls are properly maintained in accordance with Part C I.B.6.b of this General Permit.
- e. **BMP #5:** Enact a Stormwater Management Ordinance or SOP to implement and enforce a stormwater management program that includes prohibition of non-stormwater discharges to the regulated small MS4.
- (1) Municipal permittees shall submit a copy of an ordinance that is consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j) as an attachment to an Annual MS4 Status Report by September 30, 2022 (existing permittees) or the fourth (4<sup>th</sup>) Annual MS4 Status Report following approval of coverage under this General Permit (new permittees).
  - (2) Permittees that lack the authority to enact ordinances (non-municipal permittees and counties) shall develop and adopt an SOP that prohibits non-stormwater discharges consistent with this General Permit, and shall submit a copy of the SOP as an attachment to an Annual MS4 Status Report by September 30, 2022 (existing permittees) or the fourth (4<sup>th</sup>) Annual MS4 Status Report following approval of coverage under this General Permit (new permittees).
  - (3) Notice must be provided to DEP of the approval of any waiver or variance by the permittee that allows an exception to non-stormwater discharge provisions of an ordinance or SOP. This notice shall be submitted in the next Annual MS4 Status Report following approval of the waiver or variance.
- f. **BMP #6:** Provide educational outreach to public employees, business owners and employees, property owners, the general public and elected officials (i.e., target audiences) about the program to detect and eliminate illicit discharges.
- (1) During each year of permit coverage, appropriate educational information concerning illicit discharges shall be distributed to the target audiences using methods outlined under MCM #1.

The permittee shall establish and promote a stormwater pollution reporting mechanism (e.g., a complaint line with message recording) by the end of the first year of General Permit coverage for the public to use to notify the permittee of illicit discharges, illegal dumping or outfall pollution. The permittee shall respond to all complaints in a timely and appropriate manner. The permittee shall document all responses, including the action taken, the time required to take the action, and whether the complaint was resolved successfully.

- (2) Educational outreach may include: distribution of brochures and guidance for target audiences including schools; programs to encourage and facilitate public reporting of illicit discharges; organizing volunteers to locate and visually inspect outfalls and to stencil storm drains; and implement and encourage recycling programs for common wastes such as motor oil, antifreeze and pesticides.

4. **MCM #4:** Construction Site Stormwater Runoff Control. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.34(b)(4))

Permittees with coverage under the PAG-13 General Permit must rely on DEP's program for issuing NPDES permits for stormwater discharges associated with construction activities to satisfy MCM #4. In addition to relying on the state NPDES permit program for stormwater discharges associated with construction activities, the permittee shall implement the BMPs identified below.

- a. **BMP #1:** The permittee may not issue a building or other permit or final approval to those proposing or conducting earth disturbance activities requiring an NPDES permit unless the party proposing the earth disturbance has valid NPDES Permit coverage (i.e., not expired) under 25 Pa. Code Chapter 102.
- b. **BMP #2:** A municipality or county which issues building or other permits shall notify DEP or the applicable county conservation district (CCD) within 5 days of the receipt of an application for a permit involving an earth disturbance activity consisting of one acre or more, in accordance with 25 Pa. Code § 102.42.
- c. **BMP #3:** Enact, implement and enforce an ordinance or SOP to require the implementation and maintenance of E&S control BMPs, including sanctions for non-compliance, as applicable.
  - (1) Municipal permittees shall enact, implement, and enforce an ordinance to require the implementation of E&S control BMPs, including sanctions for non-compliance. All municipal permittees shall submit a copy of an ordinance that is consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j) as an attachment to an Annual MS4 Status Report by September 30, 2022 (existing permittees) or the fourth (4<sup>th</sup>) Annual MS4 Status Report following approval of coverage under this General Permit (new permittees).
  - (2) Permittees that lack the authority to enact ordinances shall develop, implement and enforce an SOP to require the implementation and maintenance of E&S control BMPs by September 30, 2022 (existing permittees) or the first Annual MS4 Status Report following approval of coverage under this General Permit (new permittees).

5. **MCM #5:** Post-Construction Stormwater Management (PCSM) in New Development and Redevelopment. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.34(b)(5))

Permittees with coverage under the PAG-13 General Permit must rely on DEP's program for issuing NPDES permits for stormwater discharges associated with construction activities to satisfy MCM #5. In addition to relying on the state NPDES permit program for stormwater discharges associated with construction activities, the permittee shall implement the BMPs identified below.

- a. **BMP #1:** Enact, implement and enforce an ordinance or SOP to require post-construction stormwater management from new development and redevelopment projects, including sanctions for non-compliance.

- (1) Municipal permittees shall enact, implement, and enforce an ordinance to require the implementation of PCSM BMPs, including sanctions for non-compliance. All municipal permittees shall submit a copy of an ordinance that is consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j) as an attachment to an Annual MS4 Status Report by September 30, 2022 (existing permittees) or the fourth (4<sup>th</sup>) Annual MS4 Status Report following approval of coverage under this General Permit (new permittees).
  - (2) Permittees that lack the authority to enact ordinances shall develop, implement and enforce an SOP to require the implementation and maintenance of PCSM BMPs and submit the SOP to DEP by September 30, 2022 (existing permittees) or the fourth (4<sup>th</sup>) Annual MS4 Status Report following approval of coverage under this General Permit (new permittees).
- b. **BMP #2:** Develop and implement measures to encourage and expand the use of Low Impact Development (LID) in new development and redevelopment. Measures should also be included to encourage retrofitting LID into existing development. Guidance on implementing LID practices may be found on DEP's MS4 website, [www.dep.pa.gov/MS4](http://www.dep.pa.gov/MS4). Enact ordinances consistent with LID practices and repeal sections of ordinances that conflict with LID practices. Submission of an ordinance that is consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j) will satisfy this BMP.
  - c. **BMP #3:** Ensure adequate O&M of all post-construction stormwater management BMPs that have been installed at development or redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale.

An inventory of PCSM BMPs shall be developed by new permittees by the end of the first year of General Permit coverage and shall be continually updated during the term of coverage under the General Permit as development projects are reviewed, approved, and constructed. Existing permittees shall update and maintain its current inventory during the term of coverage under the General Permit. The permittee must track the following information in its PCSM BMP inventory:

- All PCSM BMPs that were installed to meet requirements in NPDES Permits for Stormwater Discharges Associated with Construction Activities approved since March 10, 2003.
  - The exact location of the PCSM BMP (e.g., latitude and longitude, with street address).
  - Information (e.g., name, address, phone number(s)) for BMP owners and entities responsible for BMP O&M, if different from BMP owners.
  - The type of BMP and the year it was installed.
  - Maintenance required for the BMP type according to the Pennsylvania Stormwater BMP Manual or other manuals and resources.
  - The actual inspection/maintenance activities conducted for each BMP.
  - An assessment by the permittee if proper O&M has occurred during the year and if not, what actions the permittee has taken, or shall take, to address compliance with O&M requirements.
6. **MCM #6:** Pollution Prevention / Good Housekeeping. (25 Pa. Code § 92a.32(a) and 40 CFR § 122.34(b)(6))

The permittee must develop and implement an O&M program that includes a training component and has the ultimate goal of preventing and reducing pollutant runoff from operations, facilities and activities under the control of the permittee (collectively, "operations"). The program must include employee training to prevent and reduce stormwater pollution from activities such as park and open space maintenance, fleet and building maintenance, new construction and land disturbances, and stormwater system maintenance.

- a. **BMP #1:** Identify and document all operations that are owned or operated by the permittee and have the potential for generating pollution in stormwater runoff to the regulated small MS4. This includes activities conducted by contractors for the permittee. Activities may include the following: street sweeping; snow removal/deicing; inlet/outfall cleaning; lawn/grounds care; general storm sewer system inspections and maintenance/repairs; park and open space maintenance; municipal building

maintenance; new construction and land disturbances; right-of-way maintenance; vehicle operation, fueling, washing and maintenance; and material transfer operations, including leaf/yard debris pickup and disposal procedures. Facilities can include streets; roads; highways; parking lots and other large paved surfaces; maintenance and storage yards; waste transfer stations; parks; fleet or maintenance shops; wastewater treatment plants; stormwater conveyances (open and closed pipe); riparian buffers; and stormwater storage or treatment units (e.g., basins, infiltration/filtering structures, constructed wetlands, etc.).

- (1) New permittees shall create an inventory of all operations and land uses that may contribute to pollution in stormwater runoff within areas of operations that discharge to the regulated small MS4 by the end of the first year of General Permit coverage, and review and update the inventory annually thereafter.
  - (2) All permittees must review and update the inventory each year of General Permit coverage, as necessary.
- b. **BMP #2:** Develop, implement and maintain a written O&M program for all operations that could contribute to the discharge of pollutants from the regulated small MS4, as identified under BMP #1. This program shall address stormwater collection or conveyance systems within the regulated MS4. The written O&M program shall stress pollution prevention and good housekeeping measures, contain site-specific information, and include the following:
- Management practices, policies, and procedures shall be developed and implemented to reduce or prevent the discharge of pollutants to the regulated small MS4s. The permittee shall consider eliminating maintenance area discharges from floor drains and other drains if they have the potential to discharge to storm sewers.
  - Maintenance activities, maintenance schedules, and inspection procedures to reduce the potential for pollutants to reach the regulated small MS4s.
  - Controls for reducing or eliminating the discharge of pollutants from streets, roads, highways, municipal parking lots, maintenance and storage yards, waste transfer stations, fleet or maintenance shops with outdoor storage areas, salt / sand (anti-skid) storage locations and snow disposal areas. Controls for solid chemical products stored and utilized for the principal purpose of deicing roadways for public safety must be consistent with the BMPs for existing salt storage and distribution sites contained in the PAG-03 NPDES General Permit for Stormwater Discharges Associated with Industrial Activity.
  - Procedures for the proper disposal of waste, including dredge spoil, accumulated sediments, trash, household hazardous waste, used motor oil, street sweepings, and other debris.
- (1) New permittees shall develop and implement a written O&M program by the end of the first year of General Permit coverage and review and update the program each year thereafter.
  - (2) All permittees must review and update the written O&M program each year of General Permit coverage, as necessary.
- c. **BMP #3:** Develop and implement an employee training program that addresses appropriate topics to further the goal of preventing or reducing the discharge of pollutants from operations to the regulated small MS4. The program may be developed and implemented using guidance and training materials that are available from federal, state or local agencies, or other organizations. All relevant employees and contractors shall receive training (i.e., public works staff, building, zoning, and code enforcement staff, engineering staff, police and fire responders, etc.). Training topics shall include operation, inspection, maintenance and repair activities associated with any of the operations identified under BMP #1. Training must cover all relevant parts of the permittee's overall stormwater management program that could affect operations, such as illicit discharge detection and elimination, construction sites, and ordinance requirements.

- (1) New permittees shall develop and implement a training program that identifies the training topics that will be covered and what training methods and materials will be used by the end of the first year of General Permit coverage.
- (2) All permittees must review and update the training program each year of General Permit coverage, as necessary.
- (3) Employee training shall occur at least annually and shall be documented in writing and reported in Annual MS4 Status Reports. Documentation shall include the date(s) of the training, the names of attendees, the topics covered, and the training presenter(s).

## II. POLLUTANT CONTROL MEASURES AND POLLUTANT REDUCTION PLANS

Permittees with coverage under this General Permit that discharge to impaired waters are required to implement Pollutant Control Measures (PCMs) and Pollutant Reduction Plans (PRPs), as applicable. Permittees are encouraged to consult DEP's MS4 Requirements Table, available at [www.dep.pa.gov/MS4](http://www.dep.pa.gov/MS4), to determine the applicability of PCMs under Appendices A, B, and C and PRPs under Appendices D and E of this General Permit.

- A. PCMs are activities undertaken by the MS4 permittee to identify and control pollutant loading to impaired waters from MS4s, regardless of whether a TMDL has been approved. PCMs are BMPs and other strategies that are in addition to the permittee's SWMP identified in Part C I of this General Permit. PCMs must be implemented where the permittee 1) has at least one stormwater outfall that discharges to impaired waters, and 2) the "cause of impairment" is one or more of the causes listed in paragraphs A.1 through A.3, below.
  1. Where surface waters are impaired for metals (e.g., Iron, Manganese and Aluminum) and/or pH associated with Abandoned Mine Drainage (AMD), the permittee shall implement the PCMs identified in **Appendix A** of this General Permit, in accordance with the schedule therein.
  2. Where surface waters are impaired for Pathogens (e.g., Fecal Coliform), the permittee shall implement the PCMs identified in **Appendix B** of this General Permit, in accordance with the schedule therein.
  3. Where surface waters are impaired for Priority Organic Compounds (e.g., Polychlorinated Biphenyls (PCBs), pesticides, or other organic compounds), the permittee shall implement the PCMs identified in **Appendix C** of this General Permit, in accordance with the schedule therein.
- B. A PRP is a planning document prepared by the permittee which guides the selection and implementation of specific BMPs to reduce pollutant loading to surface waters. The objective of a PRP is to improve the condition of surface waters such that the waters eventually attain water quality standards and its designated and existing uses in accordance with 25 Pa. Code Chapter 93. A PRP shall be developed and submitted to DEP with the NOI if one or more of the following criteria are met:
  1. At the time of the NOI submission, the permittee has at least one MS4 outfall that discharges to surface waters within the Chesapeake Bay watershed, or otherwise has at least one discharge to storm sewers owned or operated by a different entity within the Chesapeake Bay watershed. Upon DEP's written approval of General Permit coverage, permittees shall implement the PRP in accordance with **Appendix D** of this General Permit.
  2. At the time of the NOI submission, the permittee has at least one stormwater outfall that discharges to waters impaired for nutrients (i.e., nitrogen and/or phosphorus) and/or sediment (i.e., siltation), and a TMDL has not been approved for such waters, or a TMDL has been approved but no wasteload allocation (WLA) has been assigned by the TMDL for the permittee's discharge(s). Upon DEP's written approval of General Permit coverage, permittees shall implement the PRP in accordance with **Appendix E** of this General Permit.

## III. OTHER REQUIREMENTS

- A. Screenings and other solids collected by the permittee shall be handled, recycled and/or disposed of in compliance with the Solid Waste Management Act (35 P.S. §§ 6018.101 – 6018.1003), 25 Pa. Code Chapters 287, 288, 289, 291, 295, 297, and 299 (relating to requirements for landfilling, impoundments, land

application, composting, processing, and storage of residual waste), federal regulation 40 CFR Part 257, The Clean Streams Law, and the Federal Clean Water Act and its amendments.

- B. DEP may require monitoring of stormwater discharge(s) as may be reasonably necessary in order to characterize the nature, volume or other attributes of that discharge or its sources.
- C. The permittee shall ensure that its SWMP, including its Stormwater Management Ordinance(s) or SOPs, is designed to prevent increased loadings of pollutants and to not cause or contribute to a violation of water quality standards by any discharge from its regulated small MS4.
- D. The permittee shall develop and maintain adequate legal authorities, where applicable, and shall maintain adequate funding and staffing to implement this General Permit, including the SWMP contained in Part C I of this General Permit.
- E. In accordance with 40 CFR § 122.35, the permittee may rely on another entity to satisfy NPDES permit obligations to implement a minimum control measure if: (1) the other entity, in fact, implements the control measure; (2) the particular control measure, or component thereof, is at least as stringent as the corresponding NPDES permit requirement; and (3) the other entity agrees to implement the control measure on the permittee's behalf. The permittee must specify in Annual MS4 Status Reports that it is relying on another entity to satisfy some of its NPDES permit obligations. The permittee remains responsible for compliance with permit obligations if the other entity fails to implement the control measure (or component thereof).

## APPENDIX A

### **POLLUTANT CONTROL MEASURES FOR WATERS IMPAIRED BY METALS AND/OR pH ASSOCIATED WITH ABANDONED MINE DRAINAGE (AMD)**

The permittee shall implement the following Pollutant Control Measures (PCMs) within the storm sewershed of any outfall that discharges to waters impaired due to metals (Iron, Manganese, Aluminum and others as applicable) and/or acidity (low pH) associated with Abandoned Mine Drainage (AMD), regardless of whether there is an approved TMDL.

#### A. Map and Inventory.

1. The permittee shall develop map(s) of the storm sewershed(s) associated with all outfalls that discharge to surface waters subject to Appendix A. The purpose is to identify the area the permittee is responsible for within its legal boundaries in developing a source inventory. For new permittees, the map(s) shall be submitted to DEP with an Annual MS4 Status Report that is due no later than two years following DEP's written approval of General Permit coverage. For existing permittees, the map(s) shall be submitted to DEP with an Annual MS4 Status Report due no later than September 30, 2019.
2. The permittee shall develop an inventory of all suspected and known anthropogenic (caused or produced by humans) sources of metals and/or acidity that are associated with AMD and that are located within the storm sewershed of outfalls discharging to surface waters subject to Appendix A. The inventory must identify whether the source is suspected or known, the basis for this determination, the responsible party (if known), and any corrective action the permittee has taken or plans to take for any of these sources. For new permittees, the inventory shall be submitted to DEP with an Annual MS4 Status Report that is due no later than three years following DEP's written approval of General Permit coverage. For existing permittees, the inventory shall be submitted to DEP with an Annual MS4 Status Report due no later than September 30, 2020.

B. The permittee shall complete an investigation of each suspected source. This investigation must include stormwater sampling if the investigation is required as part of implementing the IDD&E program under MCM #3 of the General Permit, and otherwise is voluntary. For new permittees, the results of the investigation shall be submitted to DEP with an Annual MS4 Status Report that is due no later than five years following DEP's written approval of General Permit coverage. For existing permittees, the results of the investigation shall be submitted to DEP with an Annual MS4 Status Report due no later than September 30, 2022.

C. Where it is determined that sources of metals and/or acidity are being discharged in stormwater from industrial sites into the permittee's MS4, the permittee shall notify DEP in writing within 90 days of the permittee's findings. DEP may require the owner or operator of the industrial site to submit an application for NPDES permit coverage and/or implement BMPs to reduce pollutant loadings. This written notification is required only once per industrial site.

D. The permittee shall document the progress of its investigations, source control efforts and BMPs to control sources of metals and/or acidity in its Annual MS4 Status Reports.



## APPENDIX E

### POLLUTANT REDUCTION PLAN REQUIREMENTS FOR DISCHARGES TO WATERS IMPAIRED FOR NUTRIENTS AND/OR SEDIMENT

MS4 permittees with at least one stormwater discharge to surface waters considered impaired for nutrients (nitrogen and phosphorus) and/or sediment, in which a TMDL has not been developed or the TMDL has not identified a wasteload allocation (WLA) for the permittee, must develop and submit a Pollutant Reduction Plan (PRP) with the NOI to reduce the pollutant loads to those waters. In the event the permittee also has at least one stormwater discharge to surface waters within the Chesapeake Bay watershed, the PRP may be combined with the CBPRP described in Appendix D.

The PRP is approved upon DEP's approval of coverage under this General Permit. The permittee shall implement its approved PRP and comply with the following:

- A. The permittee shall achieve the pollutant load reduction(s) (lbs/year) proposed in its PRP within 5 years following DEP's approval of coverage under the General Permit (identified on page 1). The minimum percent reduction for pollutant loadings of sediment and Total Phosphorus (TP) shall be 10% and 5%, respectively. If the surface water is impaired for both sediment and nutrients, both sediment (10%) and TP (5%) reductions must be achieved. If the surface water is impaired for sediment alone, a sediment (10%) reduction must be achieved. If the cause of impairment is nutrients, a TP (5%) reduction must be achieved. Pollutant reduction efficiencies for selected BMPs shall be in accordance with the BMP Effectiveness Values document published by DEP (3800-PM-BCW0100m) or Chesapeake Bay Program Office expert panel reports. The permittee shall submit a report demonstrating implementation of the PRP as an attachment to the first Annual MS4 Status Report that is due following completion of the 5<sup>th</sup> year of General Permit coverage.
- B. The BMPs proposed in the PRP for the term of General Permit coverage shall be implemented in accordance with the schedule in the PRP. In the event the permittee decides to modify the location, type or number of proposed BMPs or modify the storm sewer shed map, the permittee shall submit an update to its PRP to DEP prior to implementing the changes. A modified PRP that meets the conditions of paragraphs 1 – 3 herein may be implemented upon submission to DEP unless DEP issues an objection in writing within 60 days.
- C. Where submission of a modified PRP to DEP is required, the permittee shall solicit public involvement and participation, as follows:
  1. The permittee shall make a complete copy of the PRP available for public review.
  2. The permittee shall publish, in a newspaper of general circulation in the area, a public notice containing a statement describing the plan, where it may be reviewed by the public, and the length of time the permittee will provide for the receipt of comments. The public notice must be published at least 45 days prior to the deadline for submission of the PRP to DEP.
  3. The permittee shall accept written comments for a minimum of 30 days from the date of public notice.
  4. The permittee shall accept comments from any interested member of the public at a public meeting or hearing, which may include a regularly scheduled meeting of the governing body of the municipality or municipal authority that is the permittee.
  5. The permittee shall consider and make a record of the consideration of each timely comment received from the public during the public comment period concerning the plan, identifying any changes made to the plan in response to the comment.

Modified PRPs submitted to DEP must include a copy of the newspaper notice, a copy of all written comments received from the public and a copy of the permittee's record of consideration of all timely comments received in the public comment period.

- D. Progress with achieving the required pollutant load reductions shall be reported in each Annual MS4 Status Report.

**APPENDIX B**  
**DEP Pollutant Reduction Plan Final Report**



## POLLUTANT REDUCTION PLAN (PRP) / TMDL PLAN FINAL REPORT

*Before completing this report please review the instructions, which are located within the Annual MS4 Status Report Instructions (3800-FM-BCW0491)*

### PRP / TMDL PLAN SUMMARY

Permittee Name: City of Johnstown Permit No.: PAG136245

PRP     TMDL Plan     Combined PRP / TMDL Plan

Plan Approval Date: 8/24/2018 Required Completion Date: 9/30/2023

Joint Plan?     Yes     No    *If Yes, identify all participating permittees as an attachment to this report*

Surface Waters Addressed by Plan: Sams Run, Hinckston Run, Conemaugh River

Permittee's Planning Area (acres): 1068 Total Planning Area (Joint Plans): \_\_\_\_\_ acres

Pollutant Load Reduction Calculation Methodology:

Simplified Method     Mapshed     ModelMyWatershed     Other:

	TSS		TN		TP
Baseline Pollutant Load – Planning Area	<b>1034933</b>	lbs/yr		lbs/yr	lbs/yr
Pollutant Load Reduction Requirement (%)	10	%		%	%
Pollutant Load Reduction Requirement (lbs/yr)	<b>103493</b>	lbs/yr		lbs/yr	lbs/yr
WLA Reduction Requirement ( <i>TMDL Plan only</i> )		lbs/yr		lbs/yr	lbs/yr

### BMP IMPLEMENTATION

BMP Type	No. of BMPs	Pollutant Load Reductions Achieved (Credit)			
		TSS		TN	
Structural BMPs	1	11220	lbs/yr	lbs/yr	lbs/yr
Non-Structural BMPs	4	<b>32761</b>	lbs/yr	lbs/yr	lbs/yr
Total	5	43981.45	lbs/yr	lbs/yr	lbs/yr

**Pollutant Load Reductions are documented on the following attachments:**

- Attachment A – Infiltration BMPs    No.: \_\_\_\_\_
- Attachment B – BMP Retrofits    No.: \_\_\_\_\_
- Attachment C – Stream and/or Floodplain Restoration    No.: \_\_\_\_\_
- Attachment D – Street Sweeping or Storm Drain Solids Removal    No.: \_\_\_\_\_
- Attachment E – Tree Planting    No.: \_\_\_\_\_
- Attachment F – Non-structural (Annual Practice) BMPs    No.: \_\_\_\_\_
- BMP(s) have been implemented for which there are no attachments (*attach calculations*)

**COMPLIANCE DETERMINATION**

Were the pollutant load reduction requirements of the permit met?     Yes     No

If the pollutant load reduction requirements of the permit were **not met**, report the required load reductions remaining in lbs/yr and as a percentage of the total required load reduction.

	TSS	TN	TP
Load Reduction Remaining	<b>59511</b> lbs/yr	lbs/yr	lbs/yr
Percent of Required Load Reduction Remaining	<b>57</b> %	%	%

***If the pollutant load reduction requirements of the permit were not met, attach an explanation and provide a schedule for completing implementation of the PRP or TMDL Plan, including interim milestones.***

**CERTIFICATION**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

Jared Campagna

---

Responsible Official Name

Public Works Director

---

Official Title

---

Signature

---

Date Signed

**ATTACHMENT B – BMP RETROFITS**

**GENERAL INFORMATION**

Permittee Name: City of Johnstown Permit No.: \_\_\_\_\_  
 BMP Name: Converting Impervious Land to Pervious Land Latitude: \_\_\_\_\_  
 Surface Waters: Sams Run, Hinckston Run, Conemaugh River Longitude: \_\_\_\_\_  
 Municipality: City of Johnstown County: Cambria  
 Construction of the BMP is Complete. Date Construction Completed: \_\_\_\_\_  
 Photographs, Drawings, and O&M Plan are attached. Inspection/Monitoring Frequency: \_\_\_\_\_  
 Permits or Approvals Obtained: See documentation attached to report  
 Party Responsible for Long-Term O&M:  Permittee  Other: \_\_\_\_\_  
 Joint BMP?  Yes  No *If Yes, attach a list of other permittees sharing credit for the BMP*  
 Effectiveness Values Source:  
 DEP: BMP Type (Pre): 2155.29 BMP Type (Post): 325.30  
                     Retrofit TSS Effectiveness Value: \_\_\_\_\_ % (Post – Pre Effectiveness Values)  
 CB Expert Panel Report:  Runoff Reduction (RR)  Sediment Treatment (ST)  
                     RS (ac-ft): \_\_\_\_\_ IA (ac): \_\_\_\_\_ R/IA (in): \_\_\_\_\_ Retrofit TSS Effectiveness Value: \_\_\_\_\_ %

**BMP CONSTRUCTION**

BMP Infiltrating Surface Area (ft<sup>2</sup>): \_\_\_\_\_ Ponding Depth (ft): \_\_\_\_\_  Underdrain  
 Media Description: \_\_\_\_\_ Media Depth (ft): \_\_\_\_\_  
 Vegetated Loading Ratio (*see instructions*): \_\_\_\_\_ WQ Storage Volume (ft<sup>3</sup>): \_\_\_\_\_

**TSS LOAD DELIVERED TO BMP**

Total Drainage Area Treated by BMP: \_\_\_\_\_ acres (Treatment Area)  
**TSS Load Delivered to BMP – Simplified Method**  Calculations attached

Pollutant	Land Cover	Area (acres)	Loading Rate (lbs/ac/yr)	Delivered Load (lbs/yr)
TSS	Impervious	<b>4</b>	<b>2155</b>	9268
	Pervious			
Total TSS Load Delivered to BMP (lbs/yr) =				

**Sediment Load Delivered to BMP – Land Cover-Based Calculation Method**  Calculations attached

Pollutant	Land Cover	Area (acres)	Loading Rate (lbs/ac/yr)	Delivered Load (lbs/yr)
TSS				
Total TSS Load Delivered to BMP (lbs/yr) =				

**TSS LOAD REDUCTION CREDIT**

TSS Load Delivered to BMP (lbs/yr) x TSS Effectiveness Value = 7869 lbs/yr TSS Credit  
 Permittee Credit for Joint BMPs (if applicable): \_\_\_\_\_ % or \_\_\_\_\_ lbs/yr TSS Credit

## ATTACHMENT C – STREAM RESTORATION

### GENERAL INFORMATION

Permittee Name: City of Johnstown Permit No.: \_\_\_\_\_  
 BMP Name: Elk Run Debris Basin Restoration Latitude: \_\_\_\_\_  
 Surface Waters: Conemaugh River Longitude: \_\_\_\_\_  
 Municipality: City of Johnstown / Lower Yoder Township County: Cambria  
 Construction of the BMP is Complete. Date Construction Completed: \_\_\_\_\_  
 Photographs, Drawings, and O&M Plan are attached\*. Inspection/Monitoring Frequency: \_\_\_\_\_  
 Permits or Approvals Obtained: \_\_\_\_\_  
 Party Responsible for Long-Term O&M:  Permittee  Other: \_\_\_\_\_  
 Joint BMP?  Yes  No *If Yes, attach a list of other permittees sharing credit for the BMP*

### STREAM RESTORATION TYPE

Stream Restoration – Default Rate: \_\_\_\_\_ Expert Panel Report Protocols (Select all that apply):  
 Simplified Method (44.88 lbs/ft/yr)  Protocol 1: Prevented Sediment  
 Mapshed/Model My Watershed (115 lbs/ft/yr)  Protocol 2: Instream and Riparian Nutrient Processing  
 Protocol 3: Floodplain Reconnection  
 Does the restoration meet all the minimum qualifying conditions for stream restoration?  Yes  No

### TSS LOAD REDUCTION – DEFAULT RATE

Total restoration length (center line of stream) (ft): 250  
 Restoration length stabilized using hard armoring (if applicable) (ft): \_\_\_\_\_  
 Restoration length armored by “Creditable w/Limits” practices (if applicable) (ft): \_\_\_\_\_  
 Percent of total restoration length armored by “Creditable w/Limits” practices (%): \_\_\_\_\_  
 Creditable restoration length (ft): 250  
 TSS Credit: Creditable restoration length (250 ft) x Default Rate (**44** lbs/ft/yr) = 11220 lbs/yr TSS  
 Permittee Credit for Joint BMPs (if applicable): \_\_\_\_\_ % or \_\_\_\_\_ lbs/yr TSS Credit

### POLLUTANT LOAD REDUCTIONS – EXPERT PANEL PROTOCOLS

Total restoration length (ft): 250 Floodplain area created (if applicable) (ac): \_\_\_\_\_  
 Protocol 1 Pollutant Load Reduction: TSS: 11220 lbs/yr TN: \_\_\_\_\_ lbs/yr TP: \_\_\_\_\_ lbs/yr  
 Protocol 2 Pollutant Load Reduction: TSS: \_\_\_\_\_ lbs/yr TN: \_\_\_\_\_ lbs/yr TP: \_\_\_\_\_ lbs/yr  
 Protocol 3 Pollutant Load Reduction: TSS: \_\_\_\_\_ lbs/yr TN: \_\_\_\_\_ lbs/yr TP: \_\_\_\_\_ lbs/yr  
 Permittee Credit for Joint BMPs (if applicable): 0 % or 0 lbs/yr TSS Credit

**\* See Annual MS4 Status Report Instructions (3800-FM-BCW0491) for additional required attachments.**

## ATTACHMENT D – STREET SWEEPING OR STORM SEWER SOLIDS REMOVAL

### GENERAL INFORMATION

Permittee Name: City of Johnstown Permit No.: \_\_\_\_\_  
 BMP Name: Storm Sewer Solids Removal Latitude: \_\_\_\_\_  
 Surface Waters: Sams Run, Hinckston Run, Conemaugh River Longitude: \_\_\_\_\_  
 Municipality: City of Johnstown County: Cambria  
 Required documentation is attached\*. Sweeping/Removal Frequency: As needed  
 Joint BMP?  Yes  No *If Yes, attach a list of other permittees sharing credit for the BMP*

### CREDITING METHOD

BMP Type:  Street Sweeping  Storm Sewer Solids Removal  
*Expert Panel Report Advanced Sweeping Technology:*  SCP-1 (AST- 2 PW)  SCP-2 (AST- 1 PW)  
 SCP-3 (AST- 1 P2W)  SCP-4 (AST- 1 P4W)  SCP-5 (AST- 1 P8W)  SCP-6 (AST- 1 P12W)  
 SCP-7 (AST- S1 or S2)  SCP-8 (AST- S3 or S4)  
*Expert Panel Report Mechanical Broom Technology:*  SCP-9 (MBT- 2PW)  SCP-10 (MBT- 1 PW)  
 SCP-11 (MBT- 1 P4W)  
*DEP Effectiveness Value Table:*  DEP Default  
*Expert Panel Report:*  Mass Loading – Street Sweeping  Mass Loading – Solids Removal  
 Impervious area swept within planning area: \_\_\_\_\_ acres  
 BMP Effectiveness Values (if applicable): TSS: \_\_\_\_\_ % TN: \_\_\_\_\_ % TP: \_\_\_\_\_ %

### TSS LOAD REDUCTION – EFFICIENCY APPROACH

***Sediment Load Generated by Impervious – Simplified Method***

Pollutant	Land Cover	Area Swept (ac)	Loading Rate (lbs/ac/yr)	Generated Load (lbs/yr)
TSS	Impervious			

***Sediment Load Generated by Impervious – Land Cover-Based Calculation Method***

Pollutant	Land Cover	Area Swept (ac)	Loading Rate (lbs/ac/yr)	Generated Load (lbs/yr)
TSS				
TSS				

Total:

TSS Load Generated by Impervious ( \_\_\_\_\_ lbs/yr) x TSS Effectiveness Value ( \_\_\_\_\_ %) = \_\_\_\_\_ lbs/yr TSS

### TSS LOAD REDUCTION – MASS LOADING APPROACH

Sediment Load Reduction (lbs of TSS collected)	Permit Year 1 (Y1)	Permit Year 2 (Y2)	Permit Year 3 (Y3)	Permit Year 4 (Y4)	Permit Year 5 (Y5)
	<b>0</b> lbs	<b>6531</b> lbs	30173 lbs	32682 lbs	46287 lbs

Average annual TSS reduction (Y1 + Y2 + Y3 + Y4 + Y5) / 5 = 23135 lbs/yr TSS

Permittee Credit for Joint BMPs (if applicable): 0 % or 0 lbs/yr TSS

**\* See Annual MS4 Status Report Instructions (3800-FM-BCW0491) for required attachments.**

## ATTACHMENT E – TREE PLANTING

### GENERAL INFORMATION

Permittee Name: City of Johnstown Permit No.: \_\_\_\_\_  
BMP Name: Tree Planting Latitude: \_\_\_\_\_  
Surface Waters: Sams Run, Hinckston Run, Conemaugh River Longitude: \_\_\_\_\_  
Municipality: City of Johnstown County: Cambria

Required documentation is attached\*.

Joint BMP?  Yes  No *If Yes, attach a list of other permittees sharing credit for the BMP*

### BMP TREATMENT AREA

*DEP estimates that 100 fully mature trees of mixed species (both deciduous and non-deciduous) provide pollutant load reductions for the equivalent of one acre (i.e., one mature tree = 0.01 acre).*

Trees Planted within Planning Area: 46 x 0.01 = BMP Treatment Area (ac): 0

### TSS LOAD REDUCTION CREDIT

TSS loading rate for land prior to planting trees: 2155 lbs/ac/yr TSS

Method used to determine existing loading rate prior to planting trees:

- Simplified Method – use pervious loading rate for county  
 Land Cover-based calculation method – use loading rate for land cover type on which trees are planted

BMP effectiveness values for tree planting: TSS 20%; TN 10%; TP 15%

BMP Treatment Area (**0** ac) x TSS loading rate (**2155**) lbs/ac/yr x 20% = 65 lbs/yr TSS







Permittee Credit for Joint BMPs (if applicable): \_\_\_\_\_ % or \_\_\_\_\_ lbs/yr TSS


**\* See Annual MS4 Status Report Instructions (3800-FM-BCW0491) for required attachments.**



**APPENDIX C**  
**City of Johnstown Storm Sewer System**



-  Storm Sewershed Boundaries - PRP Planning Areas
-  MS4 Stormwater Outfall
-  MS4 Stormwater System
-  Surface Water
-  City Owned Property
-  City of Johnstown




Entire City is within MS4 Urbanized Area



**APPENDIX D**  
**Sewershed Planning Area Mapping**



Entire City is within MS4 Urbanized Area



















JOHNSTOWN
















LORAIN BORO


FERNDAL BORO

~Additional Streetsweeping BMP~  
to be conducted on streets within  
the PRP Planning Area

- |   |  |   |   |
|---|--|---|---|
|  | Sams Run Storm Sewershed - PRP Planning Area |  | Catch Basins (Storm Sewer Sediment Removal BMP Locations)                               |
|  | Sams Run Outfall Drainage Areas              |  | Impervious to Pervious BMP (additional sites to be identified as MS4 program continues) |
|  | MS4 Stormwater Outfall                       |  | Tree Planting BMP Locations   |
|  | MS4 Targeted Stormwater Outfall              |  | Filter Strip Stormwater Treatment BMP Locations   |
|  | MS4 Stormwater System                        |  | Structures  |
|  | Surface Water                                |  | Parcels   |
|  | Sanitary Sewer Overflow                      |  | City of Johnstown   |
|  | Stormwater Manhole                           |   |   |
|  | City Owned Property                          |   |   |




-  Hinckston Run Storm Sewershed - PRP Planning Area
-  Hinckston Run Outfall Drainage Areas
-  MS4 Stormwater Outfall
-  MS4 Targeted Stormwater Outfall
-  MS4 Stormwater System
-  Surface Water
-  Stormwater Manhole
-  City Owned Property
-  Catch Basins (Storm Sewer Sediment Removal BMP Locations)
-  Impervious to Pervious BMP (additional sites to be identified as MS4 program continues)
-  Bioretention Raingarden BMP Location
-  Tree Planting BMP Locations
-  Structures
-  Parcels
-  City of Johnstown




~Additional Streetsweeping BMP~  
to be conducted on streets within  
the PRP Planning Area


















Entire City is within MS4 Urbanized Area



City of Johnstown  
MS4 Storm Sewershed Boundary  
Hinckston Run






-  Conemaugh River Storm Sewershed - PRP Planning Area
-  Conemaugh River Outfall Drainage Areas
-  MS4 Stormwater Outfall
-  MS4 Targeted Stormwater Outfall
-  Stormwater System
-  Surface Water
-  Structures
-  Parcels
-  City Owned Property
-  Sanitary Sewer Overflow
-  Stormwater Manhole
-  Catch Basins (Storm Sewer Sediment Removal BMP Locations)
-  Impervious to Pervious BMP (additional sites to be identified as MS4 program continues)
-  Dry Extended Detention Basin BMP
-  Tree Planting BMP Locations
-  Bioretention Raingarden BMP Locations
-  City of Johnstown

~Additional Streetsweeping BMP~  
to be conducted on streets within  
the PRP Planning Area

Entire City is within MS4 Urbanized Area



City of Johnstown  
MS4 Storm Sewerhed Boundary  
Conemaugh River



**APPENDIX E**  
**Street Sweeping Documentation**  
**(Supporting documentation is available upon request)**

**APPENDIX F**  
**Storm Sewer System Solids**  
**Removal Documentation**



City of Johnstown Inlet Cleaning Calculation Summary						
Reporting Period	Sewershed Planning Area	Total Wet Weight (lbs)	Annual Dry Weight (lbs)	Annual TN Removed	Annual TP Removed	Annual Sediment Removed
			Wet Weight x 0.7	Dry Weight x 0.0027	Dry Weight x 0.0006	Dry Weight - TN - TP
July 1, 2019 through June 30, 2020	Sams Run	4,507.00	3,154.90	8.52	1.89	3,144.49
	Hinckston Run	0.00	0.00	0.00	0.00	0.00
	Conemaugh River	4,853.33	3,397.33	9.17	2.04	3,386.12
July 1, 2020 through June 30, 2021	Sams Run	13,606.67	9,524.67	25.72	5.71	9,493.24
	Hinckston Run	1,820.00	1,274.00	3.44	0.76	1,269.80
	Conemaugh River	27,820.00	19,474.00	52.58	11.68	19,409.74
July 1, 2021 through June 30, 2022	Sams Run	9,966.67	6,976.67	18.84	4.19	6,953.65
	Hinckston Run	520.00	364.00	0.98	0.22	362.80
	Conemaugh River	36,356.67	25,449.67	68.71	15.27	25,365.69
July 1, 2022 through June 30, 2023	Sams Run	19,803.33	13,862.33	37.43	8.32	13,816.59
	Hinckston Run	0.00	0.00	0.00	0.00	0.00
	Conemaugh River	46,540.00	32,578.00	87.96	19.55	32,470.49

**City of Johnstown**  
**Inlet Sediment Calculations July 1, 2019 through June 30, 2020**

Date Cleaned	Sewershed	Street Name	Number of Inlets Cleaned	Inlet Size	Sediment Depth (in.)	Volume (LBS)
4/1/2020	Conemaugh River	DUWELL AND STRAYER	1	2' x 4'	4	346.6666667
4/1/2020	Conemaugh River	MERIDAN STREET	1	2' x 4'	3	260
4/1/2020	Conemaugh River	MERIDAN STREET	1	2' x 4'	3	260
5/6/2020	Conemaugh River	142 VAUGHN STREET	1	2' x 2'	2	86.6666667
5/6/2020	Conemaugh River	BROAD STREET (BY DAYCARE)	1	2' x 4'	4	346.6666667
5/6/2020	Conemaugh River	BROAD STREET (BY DAYCARE)	1	2' x 4'	4	346.6666667
5/6/2020	Conemaugh River	BROAD STREET (BY DAYCARE)	1	2' x 4'	4	346.6666667
5/6/2020	Conemaugh River	COOPESDALE AVENUE	1	2' x 4'	2	173.3333333
5/6/2020	Conemaugh River	VAUGHN STREET	1	2' x 4'	2	173.3333333
5/12/2020	Conemaugh River	BARRON AND I STREET	1	2' x 2'	6	260
5/12/2020	Conemaugh River	BARRON AND I STREET	1	2' x 2'	6	260
5/12/2020	Conemaugh River	BARRON AND I STREET	1	2' x 4'	4	346.6666667
5/12/2020	Conemaugh River	BOYER AND KUNKLE	1	2' x 4'	4	346.6666667
5/12/2020	Conemaugh River	BOYER AND KUNKLE	1	2' x 4'	4	346.6666667
5/12/2020	Conemaugh River	HAROLD AVENUE	1	2' x 4'	2	173.3333333
5/18/2020	Sams Run	BOND AT HIGHLAND	1	2' x 4'	4	346.6666667
5/19/2020	Sams Run	LINDEN ON WHEAT	1	2' x 4'	4	346.6666667
5/20/2020	Sams Run	OHIO ON FOREST	1	2' x 4'	4	346.6666667
5/20/2020	Sams Run	RUSSEL ON VILLAGE	1	2' x 4'	4	346.6666667
5/22/2020	Sams Run	HIGHLAND ON LUNEN ST	1	2' x 4'	4	346.6666667
5/22/2020	Sams Run	HIGHLAND ON LUNEN ST	1	2' x 4'	4	346.6666667
5/25/2020	Sams Run	CYPRESS ON WHEAT	1	2' x 4'	4	346.6666667
5/25/2020	Sams Run	RUSSEL ON LUNEN	1	2' x 4'	4	346.6666667
5/25/2020	Sams Run	RUSSEL ON LUNEN	1	2' x 4'	4	346.6666667
5/26/2020	Sams Run	BOND AT HIGHLAND	1	2' x 4'	4	346.6666667
5/26/2020	Sams Run	VILLAGE ON RUSELL	1	2' x 4'	4	346.6666667
5/28/2020	Sams Run	FORET ON VILLAGE STREET	1	2' x 4'	4	346.6666667
5/28/2020	Sams Run	VILLAGE ON HIGHLAND	1	2' x 4'	4	346.6666667
6/23/2020	Conemaugh River	9TH AT CHESTNUT	1	2' x 2'	2	86.6666667
6/24/2020	Conemaugh River	471 BOYER STREET	1	2' x 4'	4	346.6666667
6/24/2020	Conemaugh River	471 BOYER STREET	1	2' x 4'	4	346.6666667

**City of Johnstown**  
**Inlet Sediment Calculations July 1, 2020 through June 30, 2021**

Date Cleaned	Sewershed	Street Name	Number of Inlets Cleaned	Inlet Size	Sediment Depth (in.)	Volume (LBS)
7/14/2020	Conemaugh River	LERORY	1	2' x 4'	5	433.3333333
8/6/2020	Hinckston Run	CONNELLY AVENUE	1	2' x 4'	3	260
8/6/2020	Hinckston Run	HONAN AVENU	1	2' x 4'	4	346.6666667
8/7/2020	Hinckston Run	CORNER OF BENSHOFF AND HONAN	1	2' x 4'	4	346.6666667
8/7/2020	Hinckston Run	HONAN AT BENSHOFF	1	2' x 4'	4	346.6666667
8/10/2020	Conemaugh River	2ND AVE AT CHESTNUT STREET	1	2' x 4'	4	346.6666667
8/11/2020	Conemaugh River	302 POWER STREET	1	2' x 4'	3	260
8/11/2020	Conemaugh River	CORNER 4TH AND POWER	1	2' x 4'	3	260
8/11/2020	Conemaugh River	CORNER OF CHESTNUT AND 4TH	1	2' x 4'	3	260
8/13/2020	Conemaugh River	DANIEL ST AND WAGNER ST	1	2' x 4'	4	346.6666667
9/16/2020	Conemaugh River	477 SHERIDAN STREET	1	2' x 4'	6	520
9/16/2020	Conemaugh River	FRANK STREET	1	2' x 4'	6	520
9/25/2020	Hinckston Run	IRON STREET BY WALKING BRIDGE	1	2' x 4'	6	520
10/14/2020	Conemaugh River	(2) CORRINE AT LEROY	2	2' x 4'	6	1040
10/14/2020	Conemaugh River	BIRCH AVNUE	1	2' x 4'	6	520
10/14/2020	Conemaugh River	DANIEL AT SHERIDAN STREET	1	2' x 4'	8	693.3333333
10/14/2020	Conemaugh River	SHERIDAN BETWEEN DANIEL AND MERIDAN	1	2' x 4'	8	693.3333333
10/15/2020	Conemaugh River	DECKER AT STONE	1	2' x 4'	36	3120
10/15/2020	Conemaugh River	LEROY BELOW CORRINE ST	1	2' x 4'	6	520
10/19/2020	Conemaugh River	(2) BEATRICE AT W. HOWARD	2	2' x 4'	8	1386.666667
10/19/2020	Conemaugh River	(2) W. HOWARD AT BEATRICE	2	2' x 4'	6	1040
1/5/2021	Conemaugh River	(8) INLETS INBOUND FAIRFIELD AVE	8	2' x 4'	8	5546.666667
1/8/2021	Conemaugh River	(2) INLETS HAROLD AVENUE	2	2' x 4'	4	693.3333333
1/8/2021	Conemaugh River	(2) INLETS OUTBOUND STRAYER STRET	2	2' x 4'	4	693.3333333
1/8/2021	Conemaugh River	(3) INLETS ON EDITH AVENUE	3	2' x 4'	5	1300
1/8/2021	Conemaugh River	FAIRFIELD AVENU	1	2' x 4'	5	433.3333333
1/14/2021	Sams Run	2 INLETS ON CYPRESS	2	2' x 4'	4	693.3333333
1/14/2021	Conemaugh River	(2) INLETS DOROTHY AVENUE	2	2' x 4'	2	346.6666667
1/14/2021	Sams Run	PARK AVNUE	1	2' x 4'	2	173.3333333
1/15/2021	Sams Run	BOND AND GROVE	1	2' x 4'	1	86.6666667
1/15/2021	Sams Run	BOND STREET	1	2' x 4'	1	86.6666667
3/3/2021	Conemaugh River	HAROLD AVENUE	1	2' x 4'	5	433.3333333
3/3/2021	Conemaugh River	HAROLD AVENUE AND CORRINE	1	2' x 4'	5	433.3333333
3/22/2021	Sams Run	BOND AND CYPRESS	1	2' x 4'	8	693.3333333
3/22/2021	Sams Run	BOND AND LINDEN	1	2' x 4'	6	520
3/22/2021	Sams Run	BOND AT 300 PLACE	1	2' x 4'	5	433.3333333
3/22/2021	Sams Run	BOND AT FOURTEENTH ALLEY	1	2' x 4'	3	260
3/22/2021	Sams Run	VILLAGE AND COLEMAN	1	2' x 4'	5	433.3333333
3/22/2021	Sams Run	VILLAGE AND FOREST	1	2' x 4'	6	520
3/22/2021	Sams Run	VILLAGE AND GROVE	1	2' x 4'	6	520
3/22/2021	Sams Run	VILLAGE AND LINDEN	1	2' x 4'	4	346.6666667
3/22/2021	Sams Run	VILLAGE AND PARK	1	2' x 4'	6	520
3/26/2021	Sams Run	2 INLES ON WHEAT AT CYPRESS	2	2' x 4'	5	866.6666667
3/26/2021	Sams Run	2 INLETS ON WHEAT AT LINDEN	2	2' x 4'	4	693.3333333
3/29/2021	Sams Run	2 INLETS ON LUNEN AT LINDEN	2	2' x 4'	4	693.3333333
3/29/2021	Sams Run	BOND AT LINDEN	1	2' x 4'	12	1040
3/29/2021	Sams Run	GROVE AT VILLAGE ST	1	2' x 4'	6	520
3/29/2021	Sams Run	LINDEN AT VILLAGE	1	2' x 4'	5	433.3333333
3/29/2021	Sams Run	ON LUNEN AT 308	1	2' x 4'	4	346.6666667

**City of Johnstown**  
**Inlet Sediment Calculations July 1, 2020 through June 30, 2021**

Date Cleaned	Sewershed	Street Name	Number of Inlets Cleaned	Inlet Size	Sediment Depth (in.)	Volume (LBS)
3/29/2021	Sams Run	ON LUNEN AT CITY LINE	1	2' x 4'	5	433.3333333
3/29/2021	Sams Run	ON LUNEN AT LINDEN	1	2' x 4'	6	520
3/29/2021	Sams Run	VILLAGE AT CYPRESS AVE	1	2' x 4'	6	520
3/31/2021	Sams Run	2 INLETS COLEMAN AT BOND	2	2' x 4'	6	1040
4/1/2021	Sams Run	2 INLETS ON LINDEN AT HIGHLAND	2	2' x 4'	3	520
4/1/2021	Sams Run	DOUBLE ON LUNEN AT CYPRESS	2	2' x 4'	4	693.3333333
4/5/2021	Conemaugh River	BOYER AT KUNKLE	1	2' x 4'	4	346.6666667
4/5/2021	Conemaugh River	BOYER AT VAUGHN	1	2' x 4'	5	433.3333333
4/5/2021	Conemaugh River	DAVIS AT BOYER	1	2' x 4'	5	433.3333333
4/5/2021	Conemaugh River	DAVIS AT COOPER AVE	1	2' x 4'	6	520
4/5/2021	Conemaugh River	DOUBLE BOYER AT KUNKLE	2	2' x 4'	3	520
4/5/2021	Conemaugh River	DOUBLE KUNKLE AT BOYER	2	2' x 4'	4	693.3333333
4/6/2021	Conemaugh River	ON BOYER AT DAVIS	1	2' x 4'	5	433.3333333
4/6/2021	Conemaugh River	ON STITZMAN AT COOPER (2)	2	2' x 4'	4	693.3333333
5/3/2021	Conemaugh River	VAUGHN STREET	1	2' x 4'	4	346.6666667
5/4/2021	Conemaugh River	300 BLOCK OF BOYER (2)	2	2' x 4'	4	693.3333333
5/4/2021	Conemaugh River	400 BLOCK OF BOYER (2)	2	2' x 4'	5	866.6666667

**City of Johnstown**  
**Inlet Sediment Calculations July 1, 2021 through June 30, 2022**

Date Cleaned	Sewershed	Street Name	Number of Inlets Cleaned	Inlet Size	Sediment Depth (in.)	Volume (LBS)
7/9/2021	Sams Run	OHIO AND LINDEN (2)	2	2' x 4'	4	693.3333333
7/15/2021	Sams Run	COLEMAN AT LUNEN	1	2' x 4'	5	433.3333333
7/15/2021	Sams Run	LUNEN AT PARK AVENUE	1	2' x 4'	5	433.3333333
7/15/2021	Sams Run	CYPRESS AT LUNEN (2)	2	2' x 4'	4	693.3333333
7/16/2021	Sams Run	RUSSELL AT OHIO STREET (2)	2	2' x 4'	3	520
7/16/2021	Sams Run	LINDEN AT OHIO	1	2' x 4'	10	866.6666667
7/21/2021	Sams Run	WHEAT AT RUSSELL (2)	2	2' x 4'	6	1040
7/22/2021	Sams Run	728 LINDEN AVENUE	1	2' x 4'	5	433.3333333
7/22/2021	Sams Run	732 CHARLES ON LINDEN	1	2' x 4'	3	260
7/22/2021	Sams Run	WOODLAND AVENUE (3)	3	2' x 4'	5	1300
7/22/2021	Sams Run	UPPER RUSSELL AVE (2)	2	2' x 4'	5	866.6666667
7/22/2021	Conemaugh River	KUNLKE AT VAUGHN ST (2)	2	2' x 4'	4	693.3333333
7/27/2021	Conemaugh River	VIRGINIA AVE (2)	2	2' x 4'	5	866.6666667
7/27/2021	Conemaugh River	GRASS AVENUE (3)	3	2' x 4'	4	1040
7/27/2021	Conemaugh River	STACKHOUSE STREET	1	2' x 4'	5	433.3333333
7/29/2021	Sams Run	FOREST AVENUE (3)	3	2' x 4'	5	1300
7/29/2021	Sams Run	PARK AVENUE (2)	2	2' x 4'	4	693.3333333
9/20/2021	Conemaugh River	DELAWARE AVENUE (9)	9	2' x 4'	6	4680
9/20/2021	Conemaugh River	BY SAVE A LOT PARKING LOT	1	2' x 2'	5	216.6666667
10/19/2021	Conemaugh River	JEAN AT MILLARD	1	2' x 4'	6	520
10/25/2021	Conemaugh River	ON DANIEL AT DOROTHY (2)	2	2' x 4'	5	866.6666667
10/25/2021	Conemaugh River	ON DOROTHY AT DANIEL (2)	2	2' x 4'	3	520
10/25/2021	Conemaugh River	DANIEL ATWAGNER	1	2' x 4'	3	260
10/25/2021	Conemaugh River	ON DOROTHY AT HAROLD AVE	1	2' x 4'	4	346.6666667
11/2/2021	Hinckston Run	IRON STREET AT 4TH AVE (2)	2	2' x 4'	3	520
1/3/2022	Conemaugh River	COOPER AVENUE (3)	3	2' x 4'	4	1040
3/7/2022	Conemaugh River	400 BLOCK OF BOYER ST. (4)	4	2' x 4'	3	1040
3/7/2022	Conemaugh River	DAVIS AND VAUGHN (3)	3	2' x 4'	4	1040
3/8/2022	Conemaugh River	DAVIS AT BOYER (3)	3	2' x 4'	3	780
3/8/2022	Conemaugh River	321 COOPER AVE	1	2' x 4'	4	346.6666667
3/11/2022	Conemaugh River	142 VAUGHN STREET	1	2' x 4'	4	346.6666667
3/11/2022	Conemaugh River	142 VAUGHN STREET	1	2' x 2'	2	86.66666667
3/11/2022	Conemaugh River	STUTZNAN ON COOPER	1	2' x 4'	3	260
3/11/2022	Conemaugh River	456 COOPER AVE (2)	2	2' x 4'	5	866.6666667
3/11/2022	Conemaugh River	ON BOYER AT KUNKLE (2)	2	2' x 4'	4	693.3333333
3/15/2022	Conemaugh River	BARRON AVE AT I STREET (3)	3	2' x 4'	6	1560
3/15/2022	Conemaugh River	VIRGINA AVE AT STACKHOUSE (3)	3	2' x 4'	8	2080
3/16/2022	Conemaugh River	ON MERIDAN DOROTHY AND EDITH (3)	3	2' x 4'	5	1300
3/16/2022	Conemaugh River	ON EDITH AT MERIDAN (2)	2	2' x 4'	4	693.3333333
3/16/2022	Conemaugh River	DOROTHY AT MERIDAN (2)	2	2' x 4'	3	520
3/16/2022	Conemaugh River	ON DOROTHY AT DANIEL (2)	2	2' x 4'	5	866.6666667
3/16/2022	Conemaugh River	ON DANIEL	1	2' x 4'	3	260
3/17/2022	Conemaugh River	KILLIAN STREET	1	2' x 4'	6	520
3/17/2022	Conemaugh River	BRUSH ON C LIFFORD (2)	2	2' x 4'	5	866.6666667
3/17/2022	Conemaugh River	HAROLD AT DOROTHY AVENUE (3)	3	2' x 4'	4	1040
3/17/2022	Conemaugh River	ON DOROTHY AT HAROLD (2)	2	2' x 4'	3	520
3/17/2022	Conemaugh River	ON WESTMORELAND AT FRANK	1	2' x 4'	5	433.3333333
3/23/2022	Conemaugh River	ON DECKER AT LAUREL	1	2' x 4'	4	346.6666667
3/23/2022	Conemaugh River	DECKER BY SCHOOL (2)	2	2' x 4'	5	866.6666667

**City of Johnstown**  
**Inlet Sediment Calculations July 1, 2021 through June 30, 2022**

Date Cleaned	Sewershed	Street Name	Number of Inlets Cleaned	Inlet Size	Sediment Depth (in.)	Volume (LBS)
3/24/2022	Conemaugh River	ON CORRINE AT HAROLD (2)	2	2' x 4'	5	866.6666667
3/24/2022	Conemaugh River	2 ON SOINE AT HAROLD	2	2' x 4'	3	520
3/24/2022	Conemaugh River	2 ON HAROLD AT STONE	2	2' x 4'	4	693.3333333
3/24/2022	Conemaugh River	ON MERIDAN AT STOREY	1	2' x 4'	3	260
3/30/2022	Conemaugh River	2 ON SAMUEL STREEET	2	2' x 4'	3	520
3/31/2022	Conemaugh River	2 AT 390 BRUSH AVENUE	2	2' x 4'	4	693.3333333
3/31/2022	Conemaugh River	395 AND 387 STONE STREET	1	2' x 4'	5	433.3333333
4/12/2022	Conemaugh River	3 ON STACKHOUSE AT MARYLAND AND GRASS	3	2' x 4'	3	780
5/4/2022	Sams Run	VILLAGE AND CYPRESS AVENU	1	2' x 4'	5	433.3333333
5/10/2022	Conemaugh River	450 STONE STREET	1	2' x 4'	5	433.3333333
5/11/2022	Conemaugh River	2 ON DOROTHY AVENUE	2	2' x 4'	5	866.6666667
5/11/2022	Conemaugh River	2 ON DANIEL STREET	2	2' x 4'	5	866.6666667
6/14/2022	Conemaugh River	STONE BRIDGE EAST BOUND	1	2' x 4'	3	260
6/14/2022	Conemaugh River	2 AT SONE BRIDGE WESTBOUND	2	2' x 4'	2	346.6666667

**City of Johnstown**  
**Inlet Sediment Calculations July 1, 2022 through June 30, 2023**

Date Cleaned	Sewershed	Street Name	Number of Inlets Cleaned	Inlet Size	Sediment Depth (in.)	Volume (LBS)
7/1/2022	Conemaugh River	2 AT DOROTHY AVENUE	2	2' x 4'	6	1040
7/1/2022	Conemaugh River	HAROLD AVE	1	2' x 4'	6	520
7/6/2022	Conemaugh River	252 BOYER STREET	1	2' x 2'	2	86.6666667
7/7/2022	Conemaugh River	2 ON BEATRICE AND HAROLD	2	2' x 4'	4	693.3333333
7/7/2022	Conemaugh River	2 ON HAROLD AND BEATRICE	2	2' x 4'	4	693.3333333
7/7/2022	Conemaugh River	252 BOYER STREET	1	2' x 2'	2	86.6666667
7/12/2022	Sams Run	137 BOND STREET	1	2' x 4'	4	346.6666667
8/5/2022	Sams Run	(2) BOND AND CYPRESS AVENUE	2	2' x 4'	1.5	260
8/5/2022	Sams Run	(2)ON BOND AND WHEAT	2	2' x 4'	1.5	260
8/5/2022	Sams Run	(3) ON BOND AND RUSSELL AVE	3	2' x 4'	1.5	390
8/5/2022	Sams Run	VILLAGE AND CYPRESS AVENUE	1	2' x 4'	1	86.6666667
9/1/2022	Conemaugh River	5TH AVENUE	1	2' x 4'	6	520
9/20/2022	Conemaugh River	JEAN AVENUE	1	2' x 4'	4	346.6666667
9/20/2022	Conemaugh River	JEAN AVENUE	1	2' x 4'	4	346.6666667
9/20/2022	Conemaugh River	JEAN AVENUE	1	2' x 4'	4	346.6666667
9/20/2022	Conemaugh River	JEAN AVENUE	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
9/21/2022	Conemaugh River	MERIDAN STREET	1	2' x 4'	4	346.6666667
10/27/2022	Sams Run	(8) RUSSELL AVENUE	8	2' x 4'	4	2773.3333333
11/7/2022	Conemaugh River	(3) BIRCH STREET	3	2' x 4'	5	1300
11/7/2022	Conemaugh River	(4) BRUSH AVENUE	4	2' x 4'	4	1386.6666667
11/7/2022	Conemaugh River	(6) STACKHOUSE STREET	6	2' x 4'	6	3120
11/29/2022	Sams Run	WHEAT AND GROVE AVENUE	1	2' x 4'	6	520
11/30/2022	Sams Run	(2) FOREST AND WJEAT	2	2' x 4'	6	1040
12/5/2022	Conemaugh River	BOYER ST & DAVIS	1	2' x 4'	6	520
12/5/2022	Conemaugh River	KUNKLE STREET	1	2' x 4'	6	520
12/5/2022	Conemaugh River	VAUGHN ST	1	2' x 4'	6	520
12/9/2022	Conemaugh River	(2) STUTZMAN ST	2	2' x 4'	6	1040
12/9/2022	Conemaugh River	(5) DOROTHY & HAROLD AVE	5	2' x 4'	6	2600
1/3/2023	Sams Run	PARK & VILLAGE St	1	2' x 4'	4	346.6666667
1/24/2023	Sams Run	(4) CYPRESS AVENUE	4	2' x 4'	4	1386.6666667
1/24/2023	Sams Run	(5) HIGHLAND AVENUE	5	2' x 4'	4	1733.3333333
1/30/2023	Conemaugh River	COOPER AVENUE	1	2' x 4'	3	260
2/6/2023	Conemaugh River	(3) VAUGHN STREET	3	2' x 4'	4	1040
2/6/2023	Conemaugh River	(4) BARRPN AVENUE	4	2' x 4'	4	1386.6666667
2/6/2023	Conemaugh River	B STREET	1	2' x 4'	4	346.6666667
2/13/2023	Conemaugh River	(2) BEATRICE AVENUE	2	2' x 4'	4	693.3333333
2/13/2023	Conemaugh River	(4) HAROLD AVENUE	4	2' x 4'	4	1386.6666667
2/13/2023	Conemaugh River	(4) JEAN AVENUE	4	2' x 4'	4	1386.6666667
2/13/2023	Conemaugh River	STONE STREET	1	2' x 4'	4	346.6666667
2/15/2023	Conemaugh River	(2) DOROTHY AVE	2	2' x 4'	6	1040
2/15/2023	Conemaugh River	(4) CORINE STREET	4	2' x 4'	6	2080
2/22/2023	Conemaugh River	dorothy avenue	1	2' x 4'	4	346.6666667
2/28/2023	Sams Run	(2) VILLAGE AND FOREST	2	2' x 4'	4	693.3333333

**City of Johnstown**  
**Inlet Sediment Calculations July 1, 2022 through June 30, 2023**

Date Cleaned	Sewershed	Street Name	Number of Inlets Cleaned	Inlet Size	Sediment Depth (in.)	Volume (LBS)
2/28/2023	Sams Run	(4) FOREST AND WHEAT STREET	4	2' x 4'	4	1386.666667
2/28/2023	Conemaugh River	STONE BRIDGE	1	2' x 4'	3	260
3/2/2023	Sams Run	PARK AVENUE	1	2' x 4'	4	346.666667
3/6/2023	Sams Run	HIGHLAND AVE	1	2' x 4'	4	346.666667
3/6/2023	Sams Run	LINDEN AVE	1	2' x 4'	4	346.666667
3/6/2023	Sams Run	PARK AVENUE	1	2' x 4'	4	346.666667
3/6/2023	Sams Run	VILLAGE ST	1	2' x 4'	4	346.666667
4/4/2023	Sams Run	(2) LINDEN AND VILLAGE	2	2' x 4'	6	1040
4/17/2023	Sams Run	BOND ST	1	2' x 4'	1	86.6666667
5/1/2023	Conemaugh River	(2) EDITH AVE	2	2' x 4'	1	173.3333333
5/1/2023	Conemaugh River	(4) CORRINE St	4	2' x 4'	4	1386.666667
5/2/2023	Conemaugh River	(2) STONE ST	2	2' x 4'	4	693.3333333
5/2/2023	Conemaugh River	(3) EDITH AVE	3	2' x 4'	4	1040
5/2/2023	Conemaugh River	(3) HAROLD AVE	3	2' x 4'	4	1040
5/2/2023	Conemaugh River	(4) MERIDAN AVE	4	2' x 4'	4	1386.666667
5/2/2023	Conemaugh River	(5) DOROTHY AVE	5	2' x 4'	4	1733.333333
5/3/2023	Conemaugh River	(2) BARRON AVE	2	2' x 4'	6	1040
5/3/2023	Conemaugh River	(3) KUNKLE AND BOYER	3	2' x 4'	6	1560
5/3/2023	Conemaugh River	(4) GRASS AVE	4	2' x 4'	8	2773.333333
5/3/2023	Conemaugh River	(4) VIRGINIA AVE	4	2' x 4'	6	2080
5/4/2023	Conemaugh River	(5) B STREET	5	2' x 4'	6	2600
5/16/2023	Sams Run	(2) GROVE AVE	2	2' x 4'	5	866.666667
5/16/2023	Sams Run	(2) WHEAT AND RUSSELL	2	2' x 4'	12	2080
5/16/2023	Sams Run	(6) BOND ST	6	2' x 4'	2	1040
5/26/2023	Sams Run	(2) BOND ST	2	2' x 4'	10	1733.333333



**APPENDIX G**  
**Blighted Structure Demolition List**

Demo						
Date	Address Type (Res/Comm)	Sewershed Planning Area	Street Name	House Number	Column5	Contractor
06/20/2018	DemoRes	Sams Run	Linden Ave.	438	D-180033	Locher Demolition
07/13/2018	DemoRes	Sams Run	Forest Ave.	501-503	D-180036	Locher Demolition
07/25/2018	DemoRes	Sams Run	Russell Ave.	430-432	D-180037	Locher Demolition
07/12/2019	DemoComm	Sams Run	Linden Ave.	516-518	D-190042	Steel Valley Contractors L.L.C.
09/12/2019	DemoRes	Sams Run	Bond St.	317	D-190054	Earthmovers Unlimited, Inc.
09/16/2019	DemoRes	Sams Run	Park Ave.	556	D-190056	Mark Lawery
10/10/2019	DemoRes	Sams Run	Linden Ave.	625-627	D-190064	Lane LaLone
12/04/2019	All	Sams Run	Ohio St	314	DC-018001	LECKEYS ENTERPRISES/DEMOLITION SERVICE
02/27/2020	DemoRes	Sams Run	Grove Ave	621-623	D-190098	LECKEYS ENTERPRISES/DEMOLITION SERVICE
02/28/2020	DemoRes	Sams Run	Woodland Ave	541	D-190099	LECKEYS ENTERPRISES/DEMOLITION SERVICE
04/24/2020	DemoRes	Sams Run	Grove Ave	620	D-190101	LECKEYS ENTERPRISES/DEMOLITION SERVICE
04/28/2020	DemoRes	Sams Run	Highland Ave	533-535	D-190103	LECKEYS ENTERPRISES/DEMOLITION SERVICE
12/15/2020	DemoRes	Sams Run	LINDEN .	409	D-190197	Steel Valley Contractors L.L.C.
12/15/2020	DemoRes	Sams Run	LINDEN .	508-10	D-190198	Steel Valley Contractors L.L.C.
12/15/2020	DemoRes	Sams Run	RUSSELL .	407	D-190205	Steel Valley Contractors L.L.C.
12/15/2020	DemoRes	Sams Run	WHEAT .	212	D-190204	Steel Valley Contractors L.L.C.
01/06/2021	DemoRes	Sams Run	RUSSELL .	605	D-190207	BLACKNER EXCAVATION
01/25/2021	DemoRes	Sams Run	COLEMAN AVE	560-562	D-190209	Locher Demolition
03/19/2021	DemoRes	Sams Run	RUSSELL AVE	521-523	D-190212	LECKEYS ENTERPRISES/DEMOLITION SERVICE
08/06/2021	DemoRes	Sams Run	COLEMAN AVE	553	D-190254	Locher Demolition

09/03/2021	DemoRes	Sams Run	CYPRESS AVE	500-502	D-190269	LECKEYS ENTERPRISES/DEMOLITION SERVICE
10/21/2021	DemoRes	Sams Run	Grove Ave	622	D-190280	LECKEYS ENTERPRISES/DEMOLITION SERVICE
01/03/2022	DemoRes	Sams Run	COLEMAN .	529-31	D-190289	LECKEYS ENTERPRISES/DEMOLITION SERVICE
04/13/2022	DemoRes	Sams Run	PARK .	558	D-190323	LECKEYS ENTERPRISES/DEMOLITION SERVICE
06/13/2022	DemoRes	Sams Run	COLEMAN AVE	517-519	D-190329	LECKEYS ENTERPRISES/DEMOLITION SERVICE
12/14/2022	DemoRes	Sams Run	RUSSELL AVE	565-567	D-190369	Locher Demolition

Demo						
Date	Address Type (Res/Comm)	Sewershed Planning Area	Street Name	House Number	Column5	Contractor
09/10/2018	DemoComm	Hinckston Run	Iron St.	108	D-180046	Hanging Gardens
06/18/2020	DemoRes	Hinckston Run	Benshoff St	182	D-190168	Earthmovers Unlimited, Inc.
06/04/2021	DemoComm	Hinckston Run	Iron St	103	D-190237	LECKEYS ENTERPRISES/DEMOLITION SERVICE
07/27/2021	DemoRes	Hinckston Run	IRON ST	193	D-190247	Earthmovers Unlimited, Inc.
11/22/2021	DemoRes	Hinckston Run	HONAN .	304	D-190284	LECKEYS ENTERPRISES/DEMOLITION SERVICE
04/01/2022	DemoRes	Hinckston Run	HONAN AVE	321	D-190321	LECKEYS ENTERPRISES/DEMOLITION SERVICE

Demo						
Date	Address Type (Res/Comm)	Sewershed Planning Area	Street Name	House Number	Column5	Contractor
03/26/2018	DemoRes	Conemaugh River	Virginia Ave.	1127	D-180018	ROARING FORK EXCAVATING
03/26/2018	DemoRes	Conemaugh River	Virginia Ave.	1131	D-180012	ROARING FORK EXCAVATING
06/01/2018	DemoRes	Conemaugh River	Beatty Ave.	174	D-180030	Locher Demolition
07/25/2018	DemoRes	Conemaugh River	Third Ave.	313-315	D-180038	LECKEYS ENTERPRISES/DEMOLITION SERVICE
08/02/2018	DemoRes	Conemaugh River	Harold Ave.	370	D-180040	ODonnell Contracting, LLC
09/24/2018	DemoRes	Conemaugh River	Beatrice Ave.	429	D-180050	Locher Demolition
09/24/2018	DemoRes	Conemaugh River	N Sheridan St.	574	D-180051	Locher Demolition
09/28/2018	DemoRes	Conemaugh River	N. Sheridan St.	618-620	D-180053	Locher Demolition
10/09/2018	DemoRes	Conemaugh River	Beatrice Ave.	427	D-180058	Locher Demolition
10/09/2018	DemoRes	Conemaugh River	Cook St.	135-137	D-180057	Locher Demolition
11/09/2018	DemoRes	Conemaugh River	Duwell St.	550	D-180059	Locher Demolition
03/11/2019	DemoRes	Conemaugh River	Virginia Ave.	1321	D-190014	Locher Demolition
04/18/2019	DemoComm	Conemaugh River	Broad St.	1365	D-190024	Solid Platforms, Inc.
06/04/2019	DemoRes	Conemaugh River	Fifth Ave.	408	D-190027	Locher Demolition
06/06/2019	DemoRes	Conemaugh River	Fairfield Ave.	62-64	D-190028	Steel Valley Contractors L.L.C.
06/11/2019	DemoRes	Conemaugh River	Fairfield Ave.	238	D-190029	ROARING FORK EXCAVATING
06/21/2019	DemoRes	Conemaugh River	Chestnut St. and Cambria Pl.	418-418 1/2	D-190033	Locher Demolition
07/03/2019	DemoRes	Conemaugh River	Fairfield Ave.	233	D-190035	ROARING FORK EXCAVATING
07/03/2019	DemoRes	Conemaugh River	Fairfield Ave.	185-187	D-190036	ROARING FORK EXCAVATING
07/11/2019	DemoComm	Conemaugh River	Fairfield Ave.	118-122	D-190039	Steel Valley Contractors L.L.C.

07/12/2019	DemoComm	Conemaugh River	Fairfield Ave.	153	D-190043	Steel Valley Contractors L.L.C.
07/25/2019	DemoRes	Conemaugh River	Davis St.	108	D-190044	LECKEYS ENTERPRISES/DEMOLITION SERVICE
07/25/2019	DemoRes	Conemaugh River	Vaughn St.	254	D-190045	LECKEYS ENTERPRISES/DEMOLITION SERVICE
08/28/2019	DemoRes	Conemaugh River	Fairfield Ave.	97	D-190048	ROARING FORK EXCAVATING
09/06/2019	DemoRes	Conemaugh River	Brallier Pl.	711-713	D-190049	Locher Demolition
09/09/2019	DemoRes	Conemaugh River	Fairfield Ave.	95	D-190052	ROARING FORK EXCAVATING
09/09/2019	DemoRes	Conemaugh River	Virginia Ave.	1351-1353	D-190051	Locher Demolition
09/16/2019	DemoRes	Conemaugh River	Virginia Ave.	1335	D-190055	Locher Demolition
09/20/2019	DemoRes	Conemaugh River	Dorothy Ave.	574	D-190057	Thomas Antinoro
09/24/2019	DemoRes	Conemaugh River	Fairfield Ave.	101-103	D-190058	ROARING FORK EXCAVATING
10/15/2019	DemoRes	Conemaugh River	Virginia Ave.	1329-1331	D-190065	Locher Demolition
01/24/2020	DemoRes	Conemaugh River	Virginia Ave	1351	D-190082	Locher Demolition
04/28/2020	DemoRes	Conemaugh River	Rear Maryland Ave	1318	D-190102	William Slisz
05/15/2020	DemoComm	Conemaugh River	Fairfield Ave	155-161	D-190106	Steel Valley Contractors L.L.C.
05/18/2020	DemoRes	Conemaugh River	Barron Ave	64	D-190107	Michael Shawley
06/12/2020	DemoRes	Conemaugh River	FAIRFIELD AVENUE	108	D-190138	MARSH CONSTRUCTION INC
06/12/2020	DemoRes	Conemaugh River	FAIRFIELD AVENUE	200	D-190141	MARSH CONSTRUCTION INC
08/11/2020	DemoRes	Conemaugh River	Harold Ave	526	D-190172	LECKEYS ENTERPRISES/DEMOLITION SERVICE
08/19/2020	DemoRes	Conemaugh River	Chestnut St	424	D-190173	Locher Demolition
08/20/2020	DemoRes	Conemaugh River	Decker Ave	335	D-190175	LECKEYS ENTERPRISES/DEMOLITION SERVICE
09/02/2020	DemoRes	Conemaugh River	Corinne St	383	D-190177	LECKEYS ENTERPRISES/DEMOLITION SERVICE
10/02/2020	DemoRes	Conemaugh River	Edith Ave	524	D-190180	LECKEYS ENTERPRISES/DEMOLITION SERVICE

12/09/2020	DemoComm	Conemaugh River	FAIRFIELD .	79	D-190185	Earthmovers Unlimited, Inc.
12/15/2020	DemoRes	Conemaugh River	COOPER .	123-25	D-190189	Steel Valley Contractors L.L.C.
12/15/2020	DemoRes	Conemaugh River	COOPER AVE	110	D-190190	Steel Valley Contractors L.L.C.
12/15/2020	DemoRes	Conemaugh River	COOPER AVE	246	D-190188	Steel Valley Contractors L.L.C.
12/15/2020	DemoRes	Conemaugh River	COOPER AVE	334	D-190187	Steel Valley Contractors L.L.C.
12/15/2020	DemoRes	Conemaugh River	COOPER AVE	343	D-190186	Steel Valley Contractors L.L.C.
03/23/2021	DemoRes	Conemaugh River	CHESTNUT .	405	D-190215	Locher Demolition
03/25/2021	DemoRes	Conemaugh River	VAUGHN ST	148	D-190216	ROARING FORK EXCAVATING
06/01/2021	DemoRes	Conemaugh River	CORINNE .	377-379	D-190236	LECKEYS ENTERPRISES/DEMOLITION SERVICE
06/29/2021	DemoRes	Conemaugh River	B ST	193	D-190241	LECKEYS ENTERPRISES/DEMOLITION SERVICE
08/03/2021	DemoRes	Conemaugh River	EDITH AVE	365	D-190249	Locher Demolition
09/03/2021	DemoRes	Conemaugh River	HAROLD .	531	D-190270	LECKEYS ENTERPRISES/DEMOLITION SERVICE
10/08/2021	DemoRes	Conemaugh River	STACKHOUSE .	54	D-190275	LECKEYS ENTERPRISES/DEMOLITION SERVICE
01/04/2022	DemoRes	Conemaugh River	BARRON AVE	153-155	D-190300	Locher Demolition
01/04/2022	DemoRes	Conemaugh River	COOPER AVE	347-351	D-190292	Locher Demolition
01/04/2022	DemoRes	Conemaugh River	DECKER .	464	D-190302	Locher Demolition
01/13/2022	DemoComm	Conemaugh River	Adams St	105-111	D-190305	G&R EXCAVATING & DEMOLITION INC
03/01/2022	DemoRes	Conemaugh River	2ND AVE	322	D-190313	G&R EXCAVATING & DEMOLITION INC
04/22/2022	DemoComm	Conemaugh River	BOYER ST	231-241	D-190326	Ritenour And Sons Construction
08/17/2022	DemoRes	Conemaugh River	VIRGINIA AVE	1227	D-190345	Locher Demolition
08/18/2022	DemoRes	Conemaugh River	FAIRFIELD AVE	66-68	D-190348	Locher Demolition
10/07/2022	DemoComm	Conemaugh River	FAIRFIELD AVE	92	D-190354	Marsh Contracting, LLC

11/29/2022	DemoRes	Conemaugh River	ADAMS And LOCUST .	148	D-190366	Noralco Corporation
12/15/2022	DemoRes	Conemaugh River	C ST	179	D-190380	Locher Demolition
03/14/2023	DemoRes	Conemaugh River	DECKER .	453-5	D-190383	Locher Demolition
04/14/2023	DemoComm	Conemaugh River	ADAMS And LOCUST .	148	D-190388	Noralco Corporation



**APPENDIX H**  
**Future BMP Implementation Timeline**

